Supernova cannot Destroy Stars

Jeffrey J. Wolynski

September 12, 2012

Jeffrey.wolynski@yahoo.com

Abstract: It is shown empirically that supernovas cannot destroy stars. This has serious consequences as to the actual nature of these events.

It is shown empirically that supernovas cannot destroy stars as there are older stars orbiting the pulsar PSR B1257+12. [1] Since supernovas are new stars which stabilize into what are called pulsars (new stars), we can safely assume that the stars that orbit this pulsar were impacted by this pulsar's supernova when it was born. [2][3] This disproves the idea that supernovas are actual explosions that are nuclear and/or chemical because no actual material is blasted outwards, for if this were true, PSR B1257+12 would not have older stars orbiting it, they would have been vaporized completely. The stellar mass accretion model for stellar destruction via gravity is also a failed hypothesis. [4]

References

- ^[1] Konacki, M., Wolszczan, A. (2003). "Masses and Orbital Inclinations of Planets in the PSR B1257+12 System". *The Astrophysical Journal* 591 (2): L147–L150.
- ^[2] Wolynski J. J. (September 11, 2012). "*Stellar Metamorphosis*". Retrieved on September 12, 2012 from Vixra.org: http://vixra.org/pdf/1205.0107v1.pdf
- [3] Wolynski, J. J. (2012, June 3). *Ockham's Razor Definition for Planet and Star*. Retrieved September 12, 2012, from Vixra.org: http://vixra.org/pdf/1206.0018v3.pdf
- ^[4] Wolynski, J. J. (June 17, 2012). *The Non-Existence of Stellar Mass Accretion*. Retrieved September 12, 2012, from Vixra.org: http://vixra.org/pdf/1206.0065v1.pdf