# Euler's proof of Fermat's Last Theorem for n = 3 is incorrect

Nguyen Van Quang Hue - Vietnam, 05 - 2016

#### Abstract

We have spotted an error of Euler's proof, so that the used infinite descent is impossible in his proof.

## 1 Euler's proof for n = 3

First, we rewrite a proof for n = 3, which was proven by Euler in 1770 as follows:

As Fermat did for the case n = 4, Euler used the technique of infinite descent. The proof assumes a solution(x,y,z) to the equation  $x^3 + y^3 + z^3 = 0$ , where the three non-zero integers x, y, z are pairwise coprime and not all positive. One of three must be even, whereas the other two are odd. Without loss of generality, z may be assumed to be even.

Since x and y are both odd, they cannot be equal, if x = y, then  $2x^3 = z^3$ , which implies that x is even, a contradiction.

Since x and y are both odd, their sum and difference are both even numbers.

$$2u = x + y$$

$$2v = x - y$$

Where the non-zero integers u and v are coprime and have different parity (one is even, the other odd). Since x = u + v and y = u - v, it follows that

$$-z^3 = (u+v)^3 + (u-v)^3 = 2u(u^2 + 3v^2)$$

Since u and v have opposite parity,  $u^2 + 3v^2$  is always an odd number. Therefore, since z even, u is even and v is odd. Since u and v are coprime, the greatest common divisor of 2u and  $u^2 + 3v^2$  is either 1 (case A) or 3 (case B).

#### Proof for Case A

In this case, the two factors of  $-z^3$  are coprime. This implies that 3 does not divide u and the two factors are cubes of two smaller numbers, r and s.

$$2u = r^3$$

$$u^2 + 3v^2 = s^3$$

Since  $u^2 + 3v^2$  is odd, so is s. Then Euler claimed that it is possible to write:

$$s = e^2 + 3f^2$$

which e and f integers, so that

$$u = e(e^2 - 9f^2)$$

$$v = 3f(e^2 - f^2)$$

Since u is even and v is odd, then e is even and f is odd. Since

$$r^3 = 2u = 2e(e - 3f)(e + 3f)$$

The factors 2e, (e - 3f), (e + 3f) are coprime, since 3 can not divide e: if e were divisible by 3, then 3 would divide u, violating the designation of u and v as coprime. Since the three factors on the right- hand side are coprime, they must individually equal cubes of smaller integers

$$-2e = k^{3}$$
$$e - 3f = l^{3}$$
$$e + 3f = m^{3}$$

Which yields a smaller solution  $k^3 + l^3 + m^3 = 0$ . Therefore, by the argument of infinite descent, the original solution (x, y, z) was impossible.

#### Proof for Case B

In this case, the greatest common divisor of 2u and  $u^2 + 3v^2$  is 3. That implies that 3 divides u, and one may express u = 3w in terms of a smaller integer w. Since u is divisible by 4, so is w, hence, w is also even. since u and v are coprime, so are v and w. Therefore, neither 3 nor 4 divide v.

Substituting u by w in the equation for  $z^3$  yields

$$-z^3 = 6w(9w^2 + 3v^2) = 18w(3w^2 + v^2)$$

Because v and w are coprime, and because 3 does not divide v, then 18w and  $3w^2 + v^2$  are also coprime. Therefore, since their product is a cube, they are each the cube of smaller integers, r and s

$$18w = r^3$$
$$3w^2 + v^2 = s^3$$

By the step as in case A, it is possible to write:

$$s = e^2 + 3f^2$$

which e and f integer, so that

$$v = e(e^2 - 9f^2)$$
$$w = 3f(e^2 - f^2)$$

Thus, e is odd and f is even, because v is odd. The expression for 18w then becomes

$$r^3 = 18w = 54f(e^2 - f^2) = 54f(e + f)(e - f)$$

Since  $3^3$  divides  $r^3$  we have that 3 divides r, so  $(r/3)^3$  is an integer that equals 2f(e+f)(e-f). Since e and f are coprime, so are the three factors 2e, e+f, and e-f, therefore, they are each the cube of smaller integers k, l, and m.

$$-2e = k^{3}$$
$$e + f = l^{3}$$
$$e - f = m^{3}$$

which yields a smaller solution  $k^3 + l^3 + m^3 = 0$ . Therefore, by the argument of infinite descent, the original solution (x, y, z) was impossible.

## 2 Disproof

**Lemma.** if the equation  $x^3 + y^3 + z^3 = 0$  is satisfied in integers, then one of the numbers x, y, and z must be divisible by 3

*proof.* From the equation  $x^3 + y^3 + z^3 = 0$ , we obtain:

$$(x + y + z)^3 = 3(z + x)(z + y)(x + y)$$

Then, x + y + z is divisible by 3,  $(x + y + z)^3$  is divisible by  $3^3$ 

So (z + x)(z + y)(x + y) must be divisible by 3:

If z + x is divisible by 3, then y is divisible by 3

If z + y is divisible by 3, then x is divisible by 3

If x + y is divisible by 3, then z is divisible by 3

Hence, one of x, y, and z must be divisible by 3.

### Mistake in Euler's proof

For the case A Since step,

$$u = 2(e^2 - 9f^2)$$

$$v = 3f(e^2 - f^2)$$

Euler already considered only u, and passed over v , and it was a gap of proof as follows : Since  $v=3f(e^2-f^2)$ , then v is divisible by 3. Since

$$2v = x - y$$

Then, x - y is divisible by 3, hence, bolt of them are divisible by 3, or both not divisible by 3. Since x and y are coprime, then x and y have not common divisor, so both x and y are not divisible by 3. By lemma above, z must be divisible by 3, which implies that 2u and  $u^2 + 3v^2$  have common divisor 3, a contradiction. Case A is impossible.

For the case B

In the case B, u is divisible by 3, v is not divisible by 3, since

$$v = e(e^2 + 9f^2)$$

$$-2e = k^3$$

Then e is not divisible by 3, so k is not divisible by 3, it returns to the case A ( k as z in the case A) that was showed impossible.

#### References

- 1. Proof of Fermat's Last Theorem for specific exponents- Wikipedia.
- 2. Quang N V, A proof of the four color theorem by induction. Vixra:1601.0247(CO) Email:

nguyenvquang67@gmail.com quangnhu67@yahoo.com.vn