

## Is Unmatter a Plausible Dark Matter Candidate?

Ervin Goldfain

Advanced Technology and Sensor Group, Welch Allyn Inc., Skaneateles Falls, NY 13153

### *Abstract*

Current observations reinforce the hypothesis that Dark Matter does not consist of particles resembling in any way the primary constituents of the Standard Model (leptons, quarks, gauge bosons or the Higgs scalar). By default, these findings point to an earlier proposal according to which Dark Matter is an elusive manifestation of “*Unmatter*”.

**Key words:** Dark Matter, Standard Model, Unmatter, Cantor Dust, Primordial Black Holes.

Below is concise list of arguments in favor of “*Unmatter*”:

- Several on-going searches continue to report either inconclusive evidence or the absence of WIMP’s, sterile neutrinos, axions, neutralinos and other beyond the Standard Model (SM) particles associated with Dark Matter [1-4]
- The Standard Model can be described as a self-contained multifractal set near the electroweak scale, with its gauge and flavor content tightly constrained [5]. No other particles or symmetries appear to exist beyond SM, *at least* in the low TeV regime of energy scales. The maximum number of fermion flavors is likely limited to the six known generations of leptons and quarks [6].
- “*Unmatter*” is an exotic state which drastically deviates from the attributes of baryonic matter. It reflects a continuous spectrum of neutralities between

particles and antiparticles and between gauge bosons and fermions. It is likely built from fractional numbers of states and arbitrary mixtures of integer and half-integer spins [7-9].

- Dark Matter emulates the properties of “*Cantor Dust*” and behaves like an extended superfluid phase [10]. This interpretation is attractive for a two-fold reason:
  - a) It matches current observations of Dark Matter on both cosmological and galactic scales.
  - b) It is compatible with the hypothesis that Dark Matter arises from the abundance of primordial black holes, as a result of high-density condensation of “*Cantor Dust*” [11-12].

## **References**

[1] <https://idm2016.shef.ac.uk/indico/event/o/contribution/50/material/slides/o.pdf>

[2] <https://arxiv.org/abs/1605.01990>

[3] <http://inspirehep.net/record/1467730>

[4] <https://arxiv.org/abs/1602.00039>

[5] Goldfain E., “*Introduction to Fractional Field Theory*”, (2015), Aracne Editrice. A draft copy of this reference may be located at: [https://www.researchgate.net/publication/278849474\\_Introduction\\_to\\_Fractional\\_Field\\_Theory\\_%28consolidated\\_version%29](https://www.researchgate.net/publication/278849474_Introduction_to_Fractional_Field_Theory_%28consolidated_version%29)

- [6] <http://www.sciencedirect.com/science/article/pii/S1007570407000950>
- [7] <http://www.sciencedirect.com/science/article/pii/S0960077905008659>
- [8] <http://fs.gallup.unm.edu/PP-15-02.pdf>
- [9] <http://fs.gallup.unm.edu/unmatter.htm>
- [10] <http://prespacetime.com/index.php/pst/article/view/959/933>
- [11] <https://arxiv.org/abs/1603.00464>
- [12] <https://arxiv.org/abs/1603.08338>