

# Circular and rectilinear Sagnac effects are dynamically equivalent and contradictory to special relativity theory

Ramzi Suleiman<sup>a)</sup>

Triangle Center for Research and Development (TCRD), PO-Box 2167, Kfar Qari 30075, Israel, Department of Psychology, University of Haifa, Abba Khoushy Avenue 199, Haifa 3498838, Israel, and Department of Philosophy, Al Quds University, East Jerusalem and Abu Dies, P.O.B. 51000, Palestine

(Received 19 June 2016; accepted 14 April 2018; published online xx xx xxxx)

**Abstract:** The Sagnac effect, named after its discoverer, is the phase shift occurring between two beams of light, traveling in opposite directions along a closed path around a moving object. A special case is the circular Sagnac effect, known for its crucial role in the global positioning system (GPS) and fiber-optic gyroscopes. It is often claimed that the circular Sagnac effect does not contradict special relativity theory (SRT) because it is considered an accelerated motion, while SRT applies only to uniform, nonaccelerated motion. It is further claimed that the Sagnac effect, manifest in circular motion, should be treated in the framework of general relativity theory (GRT). We counter these arguments by underscoring the fact that the dynamics of rectilinear and circular types of motion are completely equivalent, and that this equivalence holds true for both nonaccelerated and accelerated motion. With respect to the Sagnac effect, this equivalence means that a uniform circular motion (with constant  $\omega$ ) is completely equivalent to a uniform rectilinear motion (with constant  $v$ ). We support this conclusion by convincing experimental findings, indicating that an *identical* Sagnac effect to the one found in circular motion, exists in rectilinear uniform motion. We conclude that the circular Sagnac effect is fully explainable in the framework of inertial systems, and that the circular Sagnac effect contradicts SRT and calls for its refutation. © 2018 Physics Essays Publication. [<http://dx.doi.org/10.4006/0836-1398-31.2.215>]

**Résumé:** L'effet Sagnac, nommé d'après son découvreur, est le déphasage qui se produit entre deux faisceaux de lumière voyageant dans des sens opposés le long d'un chemin fermé autour d'un objet en mouvement. Un cas particulier est l'effet circulaire de Sagnac, connu pour son rôle crucial dans le système Global Positioning System (GPS) et les gyroscopes à fibre optique. On dit souvent que l'effet circulaire de Sagnac ne viole pas la théorie de la relativité restreinte, parce qu'il s'agirait d'un mouvement accéléré, alors que cette théorie ne s'applique qu'aux mouvements uniformes non accélérés. On dit aussi que l'effet Sagnac, qui se manifeste dans le mouvement circulaire, doit être traité dans le cadre de la théorie de la relativité générale. Nous allons à l'encontre de ces affirmations en soulignant le fait que les dynamiques des mouvements rectilignes et circulaires sont absolument équivalentes, et que cette équivalence vaut pour les mouvements aussi bien non accélérés qu'accélérés. En ce qui concerne l'effet Sagnac, cette équivalence signifie qu'un mouvement circulaire uniforme (à constante  $\omega$ ) est totalement équivalent à un mouvement rectiligne uniforme (à constante  $v$ ). Nous soutenons cette conclusion par des résultats expérimentaux convaincants qui indiquent qu'un effet de Sagnac *identique* à celui trouvé dans le mouvement circulaire existe en mouvement rectiligne uniforme. Nous concluons que l'effet circulaire de Sagnac est pleinement explicable dans le cadre des systèmes inertiels, qu'il contredit la théorie de la relativité restreinte et qu'il appelle à la réfutation de cette théorie.

Key words: Sagnac Effect; Special Relativity Theory; Lorentz Invariance; Systems Equivalence; GPS.

## I. INTRODUCTION

The Sagnac effect is a phase shift observed between two beams of light traveling in opposite directions along the same closed path around a moving object. Called after its discoverer in 1913,<sup>1</sup> the Sagnac effect has been replicated in many experiments.<sup>2-5</sup>

The circular Sagnac effect is a special case of the general Sagnac effect, which has crucial applications in fiber-optic gyroscopes (FOGs)<sup>6-10</sup> and in navigation systems such as the global positioning system (GPS).<sup>2,11</sup> The amount of the circular Sagnac effect is calculated using a Galilean summation of the velocity of light and the velocity of the rotating frame ( $c \pm \omega r$ ). The difference in time intervals of two light beams sent clockwise and counterclockwise around a closed path on a rotating circular disk is  $\Delta t = \frac{2v'l}{c^2}$ , where  $v = \omega R$  is the

<sup>a)</sup>suleiman@psy.haifa.ac.il

55 speed of the circular motion, and  $l=2\pi R$  is the circumfer- 112  
 56 ence of the circle. In fact, the Galilean summation of  $c$  and 113  
 57  $\pm wr$  contradict special relativity theory's (SRT's) second 114  
 58 axiom and the Lorentz transformations. Nonetheless, it is 115  
 59 consensual that the Sagnac effect does not falsify SRT,<sup>12</sup> 116  
 60 because it is manifested in circular motion, which is consid- 117  
 61 ered an accelerated motion,<sup>13-15</sup> while SRT applies only to 118  
 62 inertial (nonaccelerated) systems. Based on this consensus, 119  
 63 in the GPS, concurrent corrections for the Sagnac effect and 120  
 64 SRT's time dilation are made. Moreover, some theoreticians 121  
 65 claimed that the Sagnac effect manifest in circular motion, 122  
 66 should be treated in the framework of general relativity the-  
 67 ory (GRT) and not SRT.<sup>16,17</sup>

68 The view that the Sagnac effect is a property of rota-  
 69 tional systems is strongly disproved by Wang and his  
 70 colleagues<sup>18-20</sup> who conducted experiments demonstrating  
 71 that an *identical* Sagnac effect, to the one found in circular  
 72 motion, exists in rectilinear uniform motion.<sup>21</sup> Using an opti-  
 73 cal fiber conveyor, the authors measured the travel-time dif-  
 74 ference between two counter propagating light beams in a  
 75 uniformly moving fiber. Their finding revealed that the  
 76 travel-time difference in a fiber segment of length  $\Delta l$  moving  
 77 at a speed  $v$  was equal to  $\Delta t = 2v\Delta l/c^2$ , whether the segment  
 78 was moving uniformly in rectilinear or circular motion. The  
 79 existence of a Sagnac effect in rectilinear uniform motion is  
 80 at odds with the prediction of SRT, and with the Lorentz  
 81 invariance principle and, thus, should qualify as a strong re-  
 82 futation of both theories. However, despite the fact that Wang  
 83 and his colleagues published their findings in well-respected  
 84 mainstream journals, their falsification of SRT's second  
 85 axiom, and the Lorentz transformations, has been completely  
 86 ignored. To the best of my knowledge, no effort was done by  
 87 SRT experimentalists to replicate Wang *et al.*'s falsifying  
 88 test of SRT.

89 In this short note, we provide strong theoretical support  
 90 to the aforementioned findings regarding the identity  
 91 between the rectilinear and circular Sagnac effects, by under-  
 92 scoring the fact that, in disagreement with the acceptable  
 93 Newton's definition of inertial motion, the dynamics of  
 94 rectilinear and circular types of motion are completely equiv-  
 95 alent, and that this equivalence holds true for both nonaccel-  
 96 erated and accelerated motion. We elucidate this fact in  
 97 Section II and in Section III we draw conclusions regarding  
 98 the contradiction between the rectilinear and circular Sagnac  
 99 effects, and the predictions of SRT.

100 **II. ON THE EQUIVALENCE BETWEEN CIRCULAR AND**  
 101 **RECTILINEAR KINEMATICS**

102 The common view in physics is that the above-  
 103 mentioned two types of motion are, in general, qualitatively  
 104 different. Linear motion with constant velocity is considered  
 105 inertial, while circular motion, even with constant radial  
 106 velocity, is considered an accelerated (noninertial) motion.  
 107 The above view is not restricted to the Sagnac effect, or to  
 108 relativistic motion, but it is believed to be a general distinc-  
 109 tion in classical mechanics as well, and is repeated in all  
 110 books on physics. This common view maintains that the cen-  
 111 tripetal force acting on a rigid rotating mass causes continual

change in its velocity vector, reflected in change in its direc-  
 tion (keeping it in a tangential direction to the circular path).

Here, we challenge this convention by claiming that there is a one-to-one correspondence between the linear and circular types of motion. In the language of systems analysis, the two types of motion are completely *equivalent* systems.<sup>22,23</sup> The proof for our claim is trivial. To verify that, consider a dynamical system of any type (physical, biological, social, etc.), which could be completely defined by a set of dynamical parameters  $p_i$  ( $i = 1, 2, \dots, 6$ ), and a set of equations  $R$  defined as

$$R = \left\{ \begin{aligned} p_2 &= \dot{p}_1, p_3 = \ddot{p}_1, p_5 = p_3 p_4, \\ p_6 &= \int p_5 dp_1, p_7 = \frac{1}{2} p_4 p_2^2 \end{aligned} \right\} \quad (1)$$

If we think of  $p_1, p_2, p_3$ , as representing rectilinear position  $x$ , velocity  $v$ , and acceleration  $a$ , respectively, and of  $p_4, p_5, p_6, p_7$ , as mass  $m$ , rectilinear force  $F$ , work  $W$ , and kinetic energy  $E$ , respectively, then the dynamical system defined by  $R$  gives a full description of a classical *rectilinear motion* (see Table I). Alternatively, if we think of  $p_1, p_2, p_3$ , as representing angular position  $\theta$ , velocity  $\omega$ , and acceleration  $\alpha$ , respectively, and of  $p_4, p_5, p_6, p_7$ , as radial inertia  $I$ , torque  $\tau$ , work  $W$ , and kinetic energy  $E$ , respectively, then the dynamical system defined by  $R$  gives a full description of a classical *circular motion* (Q.E.D.).

It is worth noting that the equivalence between rectilinear and circular dynamical systems is not restricted to the special case of rotation with constant angular velocity or even with constant acceleration.

We note here that the equivalence demonstrated above between the dynamics of uniform rectilinear and uniform circular types of motion is inconsistent with Newton's first law, which states that, *unless acted upon by a net unbalanced force, an object will remain at rest, or move uniformly forward in a straight line.*<sup>24</sup> According to this definition of inertial motion, which was adopted by Einstein, a circular motion with uniform radial velocity is considered an accelerated motion. However, the above demonstrated equivalence is at odds with Newton and Einstein's views of inertial systems. In fact, based on Newton's mechanics, the first law for

TABLE I. Dynamical equations of rectilinear and circular systems.

Variable	Rectilinear	Circular	General
Position	$x$	$\theta$	$p_1$
Velocity	$v = \frac{dx}{dt}$	$\omega = \frac{d\theta}{dt}$	$p_2 = \frac{dp_1}{dt}$
Acceleration	$a = \frac{dv}{dt}$	$\alpha = \frac{d\omega}{dt}$	$p_3 = \frac{dp_2}{dt}$
Mass/Inertia	$M$	$I$	$p_4$
Newton's second law	$F = ma$	$\tau = I\alpha$	$p_5 = p_4 p_3$
Work	$W = \int F dx$	$W = \int \tau d\theta$	$p_6 = \int p_5 dp_1$
Kinetic energy	$E = \frac{1}{2} mv^2$	$E = \frac{1}{2} I \omega^2$	$p_7 = \frac{1}{2} p_4 p_2^2$
	.....	.....	.....

149 circular motion could be derived simply by replacing, in the  
 150 original statement of the law, the words “straight line” by the  
 151 word “circle,” thus yielding the following law:

152 “A body in circular motion will continue its  
 153 rotation in the same direction at a constant  
 154 angular velocity unless disturbed.”

155 Quite interestingly, our view of what defines an inertial  
 156 system is in complete agreement with Galileo’s interpreta-  
 157 tion of inertia. In Galileo’s words: “All external impediments  
 158 removed, a heavy body on a spherical surface concentric  
 159 with the earth will maintain itself in that state in which it has  
 160 been; if placed in movement toward the west (for example),  
 161 it will maintain itself in that movement.”<sup>25</sup> This notion,  
 162 which is termed “circular inertia” or “horizontal circular  
 163 inertia” by historians of science, is a precursor to Newton’s  
 164 notion of rectilinear inertia.<sup>26,27</sup>

165 A deeper inquiry of the different opinions of the notion  
 166 of “inertia” throughout the history of physics is beyond the  
 167 scope and aims of the present paper. Nonetheless, we dare to  
 168 put forward the following definition of an inertial motion,  
 169 which agrees well with Galileo’s conception. According to  
 170 the proposed definition, a rigid body is said to be in a state  
 171 of inertial motion if and only if the scalar product between  
 172 the sum of all the forces acting on the body, and its velocity  
 173 vector is always equal to zero, or

$$\left( \sum \vec{F}_i(t) \right) \cdot \vec{v}(t) = 0 \text{ for all } t. \quad (2)$$

174 Note that the condition in Eq. (2) is satisfied (under ideal  
 175 conditions) only by two types of motion: The rectilinear and  
 176 the circular types of motion.

177 **III. CONCLUSIONS AND GENERAL REMARKS**

178 Although it is not the subject of the present paper, our dem-  
 179 onstration of the complete equivalence between the circular  
 180 and the rectilinear dynamics, based on Newtonian dynamics,  
 181 calls for a reformulation of Newton’s first law, which is in line  
 182 with Galileo’s view of inertial motion. Such reformulation is  
 183 far from being semantic. By accepting the fact that the circular  
 184 and rectilinear dynamics are completely equivalent, it becomes  
 185 inevitable but to conclude that the Sagnac effect in uniform cir-  
 186 cular motion is completely equivalent to the Sagnac effect in  
 187 uniform rectilinear motion, and that both effects contradict  
 188 SRT.

189 Moreover, the claim that the circular Sagnac effect  
 190 should be treated in the framework of GRT simply does not  
 191 make sense. In most Sagnac experiments, the experimental  
 192 apparatus is of small physical dimensions, allowing us to  
 193 assume that the gravitational field in the apparatus is uni-  
 194 form, thus excluding any GRT effects.

195 Another erroneous justification for the coexistence  
 196 between SRT and the Sagnac effect is that the observed  
 197 effect could be derived from SRT,<sup>28,29</sup> e.g., by using Lorentz  
 198 transformations expressed in coordinates of a rotating frame.  
 199 This claim is based on fact that the difference between the  
 200 detected effect, and the one predicted by SRT, amounts to  
 201  $\frac{1}{2}(\frac{v}{c})^2$ , which is claimed to be negligible for all practical cases

and applications. We argue that this line of reasoning is erro- 202  
 neous in more than one aspect: (1) The directionality of the 203  
 Sagnac effect is dependent on the direction of light travel 204  
 with respect to the rotating object, whereas the time dilation 205  
 effect is independent of the direction of motion; (2) Special 206  
 relativity is founded on the axiom postulating that the motion 207  
 of the source of light, relative to the detector, has no effect 208  
 on the measured velocity of light, whereas in the Sagnac 209  
 effect, the Galilean kinematic composition of velocities 210  
 ( $c + v$ ,  $c - v$ ) is the reason behind its appearance; (3) At rela- 211  
 tivistic velocities, for which SRT predictions become practi- 212  
 cally relevant, the second order of  $v/c$  can amount to values 213  
 approaching one; and (4) The aforementioned difference, 214  
 even if infinitesimally small, as in the case of GPS, could not 215  
 be overlooked because it is a systematic deviation between 216  
 the model’s prediction and reality, and not some kind of sta- 217  
 tistical or system’s error. 218

219 Finally, we note that the abundance of experimental  
 220 findings in support of SRT, mainly its prediction of time  
 221 dilation,<sup>30–33</sup> is no more than what Carl Popper calls  
 222 “confirmation tests” of the theory. What is needed is to sub-  
 223 ject SRT to stringent tests, i.e., to what Carl Popper has  
 224 termed a “risky” or “severe” falsification test.<sup>34,35</sup> Evidently,  
 225 the Sagnac effect, arising in rectilinear and in circular  
 226 motion, qualifies as a severe test of SRT. But such experi-  
 227 ments have already been performed in linear and circular  
 228 motion by Wang and his colleagues,<sup>18–20</sup> and we have shown  
 229 here that the two types of motion are completely equivalent.

230 We have no other way but to conclude that the physics  
 231 community is acting irrationally and unscientifically. The logic  
 232 behind the second axiom of SRT is shaky, and Herbert Ding-  
 233 le’s argument<sup>36–38</sup> that it leads to contradiction has never  
 234 been answered without violating the principle of relativity  
 235 itself. On the experimental side, the Sagnac effect detected in  
 236 linear motion is a clear falsification of the theory, and we have  
 237 closed the loophole by showing here that what applies to recti-  
 238 linear motion applies to circular motion.

239 In science, it takes one well-designed and replicated  
 240 experiment to falsify a theory. As put most succinctly by  
 241 Einstein himself: “If an experiment agrees with a theory it  
 242 means ‘perhaps’ for the latter... but If it does not agree, it  
 243 means ‘no’.”<sup>39</sup> (p. 203). Meanwhile, an experiment falsify-  
 244 ing SRT is flying above our heads in the GPS and similar  
 245 systems, but there are no good and brave experimentalists to  
 246 observe them and register their results.

247 We are not aware of a similar case in the history of  
 248 modern science, where a theory, which defies reason, and  
 249 contradicts with the findings of crucial tests, holds firm. We  
 250 believe that it is due time for a serious reconsideration of  
 251 SRT and the Lorentz transformations.

252 **ACKNOWLEDGMENTS**

253 I thank Dr. Ibrahim Yehia, and two anonymous  
 254 reviewers for their helpful remarks on earlier drafts of the  
 255 paper.

256 <sup>1</sup>M. G. C. Sagnac, R. Acad. Sci. **157**, 708 (1913).  
 257

258 <sup>2</sup>N. Ashby, *Relativity in Rotating Frames* (Springer, New York, 2004).

- 259 <sup>3</sup>E. Post, *Rev. Mod. Phys.* **39**, 475 (1967). 288
- 260 <sup>4</sup>R. Anderson, H. R. Bilger, and G. E. Stedman, *Am. J. Phys.* **62**, 975 289
- 261 (1994).
- 262 <sup>5</sup>G. B. Malykin, *Phys-Usp.* **40**, 317 (1997). 290
- 263 <sup>6</sup>W. W. Chow, J. Gea-Banacloche, L. M. Pedrotti, V. E. Sanders, W. 291
- 264 Schleich, and M. O. Scully, *Rev. Mod. Phys.* **57**, 61 (1985). 292
- 265 <sup>7</sup>V. Vali and R. Shorthill, *Appl. Opt.* **16**, 290 (1977). 293
- 266 <sup>8</sup>W. Leeb, G. Schiffner, and E. Scheiterer, *Appl. Opt.* **18**, 1293 (1979). 294
- 267 <sup>9</sup>H. Lefevre, *The Fiber-Optic Gyroscope* (Artech House, Boston, MA, 295
- 268 1993). 296
- 269 <sup>10</sup>W. K. Burns, *Fiber Rotation Sensing* (Academic Press, Boston, MA, 297
- 270 1994). 298
- 271 <sup>11</sup>N. Ashby, *Phys. Today* **55**, 41–47 (2002). 299
- 272 <sup>12</sup>“A. Einstein on the electrodynamics of moving bodies,” (1905), in *The* 300
- 273 *Collected Papers of Albert Einstein*, edited by J. Stachel, Vol. 2, (Prince- 301
- 274 ton University Press, Princeton, NJ, 1989), p. 304. 302
- 275 <sup>13</sup>G. B. Malykin, *Phys-Usp.* **43**, 1229 (2000). 303
- 276 <sup>14</sup>L. Landau and E. Lifshitz, *The Classical Theory of Fields*, 4th ed. (Perga- 304
- 277 mon, New York, 1997). 305
- 278 <sup>15</sup>A. A. Logunov and Y. V. Chugreev, *Sov. Phys. Usp.* **31**, 861 (1988). 306
- 279 <sup>16</sup>A. Ashtekar and A. Magnon, *J. Math. Phys.* **16**, 341 (1975). 307
- 280 <sup>17</sup>J. P. Vigiier, *J. P. Phys. Lett. A* **234**, 75 (1997). 308
- 281 <sup>18</sup>R. Wang, Y. Zheng, A. Yao, and D. Langley, *Phys. Lett. A* **312**, 7 (2003). 309
- 282 <sup>19</sup>R. Wang, Y. Zheng, and A. Yao, *Phys. Rev. Lett.* **93**, 143901 (2004). 310
- 283 <sup>20</sup>R. Wang, *Galilean Electrodyn.* **16**, 23 (2005). 311
- 284 <sup>21</sup>S. K. Ghosal and M. Sarker, *Proc. Physical Interpretation of Relativity* 312
- 285 *Theory Meeting (VI)*, Supplementary papers (Imperial College, London, 313
- 286 1998), pp. 52–64. 314
- 287 <sup>22</sup>R. Kalman, *J.S.I.A.M. Control* **1**, 152 (1963). 315
- <sup>23</sup>K. Ogata, *System Dynamics*, 4th ed. (Prentice Hall, Upper Saddle River, 316
- NJ, 2003).
- <sup>24</sup>I. Newton, *Newton's Principia: The Mathematical Principles of Natural Phi-* 288
- losophy*, Translated into English by A. Motte (Daniel Adee, New York, 1845). 289
- <sup>25</sup>S. Drake, *Discoveries and Opinions of Galileo* (Doubleday Anchor, 290
- New York, 1957), pp. 113–114. 291
- <sup>26</sup>A. Chalmers, “A. Galilean relativity and Galileo’s relativity,” in *Corre-* 292
- spondence, Invariance and Heuristics: Essays in Honor of Heinz Post*, 293
- edited by S. French and H. Kamminga (Kluwer Academic Publishers, Dor- 294
- drecht, The Netherlands, 1991), pp. 199–200. 295
- <sup>27</sup>E. J. Dijksterhuis, *The Mechanization of the World Picture* (Oxford 296
- University Press, Oxford, 1961). 297
- <sup>28</sup>R. A. Nelson, *J. Math. Phys.* **28**, 2379 (1987). 298
- <sup>29</sup>R. D. Klauber, *R. Found. Phys. Lett.* **16**, 447 (2003). 299
- <sup>30</sup>O. Bertolami and J. Páramos, *The Experimental Status of Special and Gen-* 300
- eral Relativity Handbook of Spacetime* (Springer, Berlin, 2013). 301
- <sup>31</sup>S. Reinhardt, G. Saathoff, H. Buhr, L. A. Carlson, A. Wolf, D. 302
- Schwalm, S. Karpuk, C. Novotny, G. Huber, M. Zimmermann, R. 303
- Holzwarth, T. Udem, T. W. Hänsch, and G. Gwinner, *Nat. Phys.* **3**, 304
- 861–864 (2007). 305
- <sup>32</sup>Y. Z. Zhang, *Special Relativity and Its Experimental Foundations* (World 306
- Scientific, Singapore, 1997). 307
- <sup>33</sup>D. Frisch and J. H. Smith, *Am. J. Phys.* **31**, 342–355 (1963). 308
- <sup>34</sup>K. Popper, *Conjecture and Refutation* (Routledge, London, 1963). 309
- <sup>35</sup>H. Kragh, *Pers. Sci.* **21**, 325 (2013). 310
- <sup>36</sup>H. Dingle, *Nature* **216**, 119 (1967). 311
- <sup>37</sup>H. Dingle, *Br. J. Philos. Sci.* **15**, 41 (1964). 312
- <sup>38</sup>H. Dingle, *Nature* **217**, 19 (1968). 313
- <sup>39</sup>T. Sauer, *Arch. Hist. Exact Sci.* **61**, 159 (2007). 314