

Unbihexium ${}_{126}^{310}Ubh/{}_{126}^{354}Ubh$ or orion nucleus ${}_{125}^{307}Or?$

Michael Tzoumpas

Mechanical and Electrical Engineer
National Technical University of Athens
Irinis 2, 15234 Athens, Greece

E-mail: m.tzoumpas@gmail.com

July 2020

Abstract. The structure of the nuclei begins with the so-called lower-order nuclei, as the deuterium, tritium and helium 3_2He , which evolve into helium nucleus 4_2He and then first upper-order oxygen nucleus ${}^{16}_8O$. The second upper-order calcium nucleus ${}^{40}_{20}Ca$ is based on the fundamental natural phenomenon of mirror symmetry, by repetition of the first upper-order oxygen nucleus and one half of it, i.e. at the 2,5 factor. The same stands with the third upper-order tin nucleus ${}^{120}_{50}Sn$, which emerged from the second upper-order calcium nucleus, according to the mirror symmetry and the same 2,5 factor. Furthermore, orion nucleus ${}^{307}_{125}Or$ forecast, as a theoretical construction, is derived by repetition of the third upper-order tin nucleus and one half of it for the connection as the fourth upper-order nucleus, according to the mirror symmetry. The atomic numbers Z of the above four upper-order nuclei are the so-called four magic numbers, i.e. $Z_1 = 8$, $Z_2 = 8 \cdot 2,5 = 20$, $Z_3 = 20 \cdot 2,5 = 50$ and $Z_4 = 50 \cdot 2,5 = 125$. That is the simple and elegant structure model, according to which the nuclei consist of fixed helium nuclei 4_2He (plus deuterium, tritium and helium 3_2He , all evolving into helium 4_2He) and neutrons rotating around of them. It is noted that the word orion comes from the Greek *ὄριον*, meaning the limit. Thus, orion nucleus ${}^{307}_{125}Or$ means the limited nucleus of Nature that cannot be further divided, due to the indivisible original deuterium. Additionally, orion nucleus ${}^{307}_{125}Or$ is the corresponding hypothetical chemical element with atomic number $Z = 126$ and placeholder symbol Ubh (${}^{310}_{126}Ubh$ or ${}^{354}_{126}Ubh$), also known as element 126 or eka-plutonium.

Keywords: Upper-order nuclei; mirror symmetry; magic numbers.

PACS numbers: 03.50.Kk, 12.10.-g

1. Structure model of four upper-order nuclei

According to the unified theory^{1,2} of dynamic space the atomic nuclei^{3,4} have been structured through two fundamental phenomena.⁵ The inverse electric field⁶ of the proton and the electric entity of the macroscopically neutral neutron.⁷

The structure of the nuclei begins with the so-called lower-order nuclei, as the deuterium 2_1H , tritium 3_1H and helium 3_2He , which evolve into helium 4_2He ⁵ and then

first upper-order oxygen nucleus ${}_{8}^{16}O$,⁸ that has four helium nuclei ${}_{2}^{4}He$ in a column of strong negative electric field (Fig. 1).

So, the second upper-order calcium nucleus ${}_{20}^{40}Ca$ ⁹ is based on the fundamental natural phenomenon of mirror symmetry, by repetition of the first upper-order oxygen nucleus and one half of it, i.e. at the 2,5 factor (Fig. 2). The same stands with the third upper-order tin nucleus ${}_{50}^{120}Sn$,¹⁰ which emerged from the second upper-order calcium nucleus, according to the mirror symmetry and the same 2,5 factor (Figs 3 and 4).

Furthermore, orion nucleus ${}_{125}^{307}Or$ forecast, as a theoretical construction, is derived by repetition of the tin nucleus ${}_{50}^{120}Sn$ and one half of it for the connection as the fourth upper-order nucleus, according to the mirror symmetry.

The atomic numbers Z of the above four upper-order nuclei are the so-called four magic numbers, i.e. $Z_1 = 8$, $Z_2 = 8 \cdot 2,5 = 20$, $Z_3 = 20 \cdot 2,5 = 50$ and $Z_4 = 50 \cdot 2,5 = 125$, according to the 2,5 factor. It is noted that, this orion nucleus ${}_{125}^{307}Or$, with an atomic number $Z_4 = 125$ is the corresponding hypothetical unbihexium ${}_{126}^{310}Ubh$ or ${}_{126}^{354}Ubh$ with a different atomic number $Z = 126$.

Additionally, the tin nucleus ${}_{50}^{120}Sn$ will further form the basis for the structure of all heavy nuclei up to the radioactive uranium nucleus ${}_{92}^{235}U$.¹¹

That is the simple and elegant structure model, according to which the nuclei consist of fixed helium nuclei ${}_{2}^{4}He$ (plus deuterium, tritium and helium ${}_{2}^{3}He$, all evolving into helium ${}_{2}^{4}He$) and neutrons rotating around of them.

1.1. Structure model of first upper-order oxygen nucleus ${}_{8}^{16}O$




Figure 1. Structure model of oxygen ${}_{8}^{16}O = 4{}_{2}^{4}He$, as a column of strong electric field of four coaxial helium nuclei ${}_{2}^{4}He$

Oxygen nucleus ${}^8_{16}O$ is derived from the successive evolution⁸ of lithium ${}^4_3Li = {}^2_4He + {}^2_1H$, lithium ${}^6_3Li = {}^3_6Li + n$, beryllium ${}^7_4Be = {}^3_7Li + {}^2_1H$, boron ${}^4_5B = {}^2_4He + {}^3_1H$, boron ${}^3_5B = {}^2_4He + {}^3_2He + {}^3_1H + n$, carbon ${}^{12}_6C = 3{}^4_2He$ and nitrogen ${}^{14}_7N = {}^{12}_6C + {}^2_1H$ by completing of one deuterium 2_1H , evolving into carbon ${}^{12}_6C$ and helium 4_2He , that are four coaxial helium nuclei 4_2He as a column of strong negative electric field⁶ (Fig. 1)

$${}^8_{16}O = {}^{14}_7N + {}^2_1H = {}^{12}_6C + {}^4_2He = 4{}^4_2He \Rightarrow {}^{16}_8O = 4{}^4_2He. \quad (1)$$

After the helium nucleus 4_2He , the oxygen nucleus ${}^8_{16}O$ is the second stable one in Nature and the first upper-order one, which the atomic number $Z = 8$ is the first magic number.

1.2. Structure model of second upper-order calcium nucleus ${}^{40}_{20}Ca$




Figure 2. Structure model of calcium nucleus ${}^{40}_{20}Ca = {}^{16}_8O + 2{}^4_2He + {}^{16}_8O$, as a mirror symmetry of two oxygen nuclei ${}^{16}_8O$ and two helium nuclei 4_2He (one half oxygen), according to the 2, 5 factor

Calcium nucleus ${}^{40}_{20}Ca$ (Fig. 2) is derived from the successive evolution⁹ of the nuclei fluorine ${}^{16}_9F = {}^{16}_8O + {}^3_1H$, magnesium ${}^{24}_{12}Mg = {}^{16}_8O + 2{}^4_2He$, silicon ${}^{28}_{14}Si = {}^{16}_8O + 3{}^4_2He$ and specifically

$${}^{40}_{20}Ca = {}^{16}_8O + \frac{1}{2} \cdot {}^{16}_8O + {}^{16}_8O, \quad (2)$$

i.e. by repetition of the oxygen nucleus ${}^{16}_8O$ and one half of it for connection as the second upper-order nucleus, according to the mirror symmetry. The atomic number $Z = 8 \cdot 2, 5 = 20$ (2, 5 factor) of the calcium nucleus ${}^{40}_{20}Ca$ is the second magic number.

1.3. Structure model of third upper-order tin nucleus ${}^{120}_{50}Sn$

Tin nucleus ${}^{120}_{50}Sn$ (Figs 3 and 4) is derived from the successive evolution¹⁰ of the nuclei iron ${}^{56}_{26}Fe = {}^{40}_{20}Ca + 3{}^4_2He + 4n$, nickel ${}^{60}_{28}Ni = {}^{40}_{20}Ca + 4{}^4_2He + 4n$ and specifically

$${}^{120}_{50}Sn = {}^{40}_{20}Ca + \frac{1}{2} \cdot {}^{40}_{20}Ca + {}^{40}_{20}Ca + 20n, \quad (3)$$

i.e. by repetition of the calcium nucleus ${}^{40}_{20}Ca$ and one half of it for connection as the third upper-order nucleus, according to the mirror symmetry, while twenty orbital bonding neutrons¹² are added, which reduce the strong negativity of the protons field and contribute to the stability of the nucleus. The atomic number $Z = 20 \cdot 2, 5 = 50$ (2, 5 factor) of the tin nucleus ${}^{120}_{50}Sn$ is the third magic number.




Figure 3. Stereoscopic representation of the tin nucleus ${}_{50}^{120}Sn$, where the same image on the other three sides of the rectangular parallelepiped is repeated, while the lonely helium nucleus ${}_{2}^{4}He$ is placed in its center




Figure 4. Top view of Fig. 3, where the mirror symmetry of the 2,5 factor for the construction of the tin nucleus ${}_{50}^{120}Sn$ appears

In Fig. 3 it is repeated the same image on the other three sides of the rectangular parallelepiped, while the lonely helium nucleus ${}_{2}^{4}He$ of the above figure is placed in its

center. In Fig. 4, the four corner columns of negative potential appear with the four helium nuclei ${}^4_2\text{He}$ and the three neutrons each, also the four middle columns of negative potential appear with the two helium nuclei ${}^4_2\text{He}$ and the two neutrons each, while the lonely helium nucleus ${}^4_2\text{He}$ appears in the center.

1.4. Structure model of fourth upper-order orion nucleus ${}_{125}^{307}\text{Or}$




Figure 5. Representation of the fourth upper-order orion nucleus ${}_{125}^{307}\text{Or}$, where is constructed by repetition of the third upper-order tin nucleus ${}_{50}^{120}\text{Sn}$ and one half of it for the connection (mirror symmetry/2,5 factor)

Orion nucleus ${}_{125}^{307}\text{Or}$ forecast, as a theoretical construction (Fig. 5), is derived from the successive evolution¹¹ of the nuclei tin ${}_{50}^{120}\text{Sn}$ (Eq. 3), iodine ${}_{53}^{127}\text{I} = {}_{50}^{120}\text{Sn} + 2^2_1\text{H} + {}^3_1\text{H}$, rhenium ${}_{75}^{187}\text{Re} = {}_{50}^{120}\text{Sn} + \frac{1}{2} \cdot {}_{50}^{120}\text{Sn} + 6n + n$, lead ${}_{82}^{208}\text{Pb} = {}_{75}^{187}\text{Re} + 3^4_2\text{He} + {}^3_1\text{H} + 6n$, bismuth ${}_{83}^{209}\text{Bi} = {}_{75}^{187}\text{Re} + 4^4_2\text{He} + 6n$, uranium ${}_{92}^{235}\text{U} = {}_{83}^{209}\text{Bi} + ({}^4_2\text{He} + {}^3_1\text{H} + n) + (2^4_2\text{He} + 2^3_1\text{H} + 4n)$ and specifically

$${}_{125}^{307}\text{Or} = {}_{50}^{120}\text{Sn} + \frac{1}{2} \cdot {}_{50}^{120}\text{Sn} + {}_{50}^{120}\text{Sn} + 6n + n, \quad (4)$$

i.e. by the repetition of the tin nucleus ${}_{50}^{120}\text{Sn}$ and one half of it for the connection as the fourth upper-order nucleus, according to the mirror symmetry, while six orbital bonding neutrons¹² in the middle connection unit ($\frac{1}{2} \cdot {}_{50}^{120}\text{Sn}$) are added plus one neutron for the central original deuterium nucleus ${}^2_1\text{H}$ (one half of the initial helium nucleus ${}^4_2\text{He}$) that evolves into the unstable tritium nucleus ${}^3_1\text{H}$ (Fig. 5).

The weak link of orion nucleus ${}_{125}^{307}\text{Or}$ is the above unstable tritium nucleus ${}^3_1\text{H}$, which is located at its center, where the strong negative electric field of the protons prevails. So, this critical point becomes an attraction pole of neutrons, i.e. of a thermal neutron and rarely of a fast one, which it is cleaved (beta decay β^-), incorporating the produced proton into the tritium nucleus ${}^3_1\text{H}$, turning it into helium nucleus ${}^4_2\text{He}$. This is the mechanism that acts as a catalyst for the nuclear fission of the theoretical orion nucleus ${}_{125}^{307}\text{Or}$, due to which it is considered an unstable nucleus.

The atomic number (2, 5 factor)

$$Z = 50 \cdot 2, 5 = 125 \quad (5)$$

of the hypothetical orion nucleus ${}_{125}^{307}\text{Or}$ is the fourth magic number.

The orbital bonding neutrons are formed as the sum shown in Fig. 5 plus the above one neutron of the unstable tritium nucleus ${}^3_1\text{H}$, namely

$$20 + 16 + 20 + 1 = 57. \quad (6)$$

Hence, the mass number of orion nucleus ${}_{125}^{307}\text{Or}$, due to Eq. 5, will be then

$$A = 2Z + 57 = 2 \cdot 125 + 57 = 307 \Rightarrow A = 307. \quad (7)$$

However, we will give also an etymological interpretation for orion ${}_{125}^{307}\text{Or}$. The word orion comes from the Greek $\acute{o}\rho\iota\omicron\nu$, meaning the limit. Thus, orion nucleus ${}_{125}^{307}\text{Or}$ means the limited nucleus of Nature that cannot be further divided, due to the indivisible original deuterium ${}^2_1\text{H}$.

Additionally, orion nucleus ${}_{125}^{307}\text{Or}$ is the corresponding hypothetical chemical element with atomic number $Z = 126$ and placeholder symbol Ubh (${}_{126}^{310}\text{Ubh}$ or ${}_{126}^{354}\text{Ubh}$), also known as element 126 or eka-plutonium.

2. References

- [1] N.I.Gosdas, *The Unified Theory of Dynamic Space*, Greek Edition (Trohalia, Athens, 1999).
- [2] M.Tzoumpas, *Hubble's Law and antigravity - Higgs boson and gravity*, <http://viXra.org/abs/1710.0082> [Quantum Gravity and String Theory].
- [3] M.Tzoumpas, *Structure model of atomic nuclei*, <http://viXra.org/abs/2001.0155> [Quantum Physics].
- [4] N.I.Gosdas, *The Structure of Nuclei* (chapter 4, pages 69-203), Greek Edition (SALTO, Thessaloniki, 2001).
- [5] M.Tzoumpas, *Structure model of helium nucleus ${}^4_2\text{He}$* , <http://viXra.org/abs/2002.0340> [High Energy Particle Physics].
- [6] M.Tzoumpas, *Inverse electric-nuclear field*, <http://viXra.org/abs/1902.0266> (sections 1 and 2) [High Energy Particle Physics].
- [7] M.Tzoumpas, *Structure model of atomic nuclei*, <http://viXra.org/abs/2001.0155> (section 3) [Quantum Physics].
- [8] M.Tzoumpas, *Structure model of oxygen nucleus ${}^{16}_8\text{O}$* , <http://viXra.org/abs/2004.0145> [High Energy Particle Physics].
- [9] M.Tzoumpas, *Structure model of calcium nucleus ${}^{40}_{20}\text{Ca}$* , <http://viXra.org/abs/2004.0507> [High Energy Particle Physics].
- [10] M. Tzoumpas, *Structure model of tin nucleus ${}^{120}_{50}\text{Sn}$* , <http://viXra.org/abs/2005.0168> [High Energy Particle Physics].
- [11] M. Tzoumpas, *Structure model of uranium nucleus ${}^{235}_{92}\text{U}$* , <http://viXra.org/abs/2006.0143> [High Energy Particle Physics].
- [12] M.Tzoumpas, *Structure model of oxygen nucleus ${}^{16}_8\text{O}$* , <http://viXra.org/abs/2004.0145> (subsection 1.2) [High Energy Particle Physics].