Running head: MASS SHOOTINGS

On United States Mass Shootings

Tariq Khan

University of Nebraska at Omaha

tariqkhan@unomaha.edu

ORCID: 0000-0002-3236-0786

Author Note

The data that supports the findings of this study are available from the corresponding author upon reasonable request. The author has no conflict of interest to declare.

There is no funding source associated with this work.

Abstract

The severity of the effects on organisms, especially human males, of histamine and serotonin biochemical interactions - and their subsequent behaviors - has been vastly underestimated in the scientific community. Humans, like all life, are sensitive to their environment. Mentally ill or unstable individuals can be triggered into impulsive and violent activities from spikes in serum serotonin. Human serum histamine level is directly proportional to environmental allergen or pollen levels, but serum serotonin level is inversely proportional to serum histamine levels with human males having 52% more serotonin than females. Data show an association between the dates of violent acts, especially male single shooter mass shootings in the United States, and the dates of dramatic decreases in pollen levels thus indicating pollen and serum histamine level drops as a possible precursor or triggering relationship. This knowledge can be used as a potential predictor for law enforcement and medical agencies for a given city or region. Mental health professionals would be advised to lower serotonin boosting meds and even supplement antihistamine and sedative medications to male patients in the timeframes of March through June, for spring tree pollens especially juniper tree pollen, and from September through November, for fall ragweed weed pollen.

KEY WORDS: mass shootings, histamine, serotonin, pollen, pollen.com, serotonin pump

Introduction

Humans, like all life, are sensitive to their environment. Mentally ill or mentally unstable individuals can be triggered into impulsive and violent activities from spikes in serum serotonin (1). Human serum histamine level is directly proportional to environmental allergen levels producing the obvious and dreaded seasonal allergic reaction symptoms. But serum serotonin level, or the control of the level, is inversely proportional to serum histamine levels (2) (3) (4). It is critical to note that male humans have 52% more serotonin than females (5). Note too that mast cells in the human body emit serotonin, a mood-modifying molecule, per Science magazine (6). The European Journal of Neuroscience notes that "mast cells are a source of serotonin. We conclude that mast cells contribute to behavioral and physiological functions of the hippocampus. It is known that mast cells can synthesize and store serotonin. The hippocampus is important in the regulation of anxiety and depressive behaviors" (7).

Also, as noted in the journal Nature:

Because of mast cell involvement in these clinical syndromes... there has been great interest in the pharmacological modulation of histamine release from mast cells. Serotonin is also stored in mast cell granules. Because histamine and serotonin may have divergent functions in delayed hypersensitivity, we hypothesized that these amines could undergo differential release (8).

Mass Shootings

Data from public online webpages, like pollen.com and weather.com, of pollen levels in given cities or zip codes, when compared to the dates of gun violence, "mass shootings," by mentally ill human males, appears to show a clear association between the date of violent acts

and the dates of dramatic decreases in environmental pollen allergen levels (especially when the allergen or pollen level decreases overnight to a level of zero) indicating a possible precursor or triggering relationship. This knowledge could be used as a potential predictor for law enforcement and medical agencies with modern technology that can track near real-time levels per a given city or zip code. Mental health professionals would be advised to lower antihistamines and serotonin boosting meds, and even supplement short-term sedative medications, to male patients in the timeframes of March through June, for spring tree pollen, and from September through November, for fall ragweed weed pollen. This treatment can even be tailored closer depending on the latitude versus the time of year using pollen tracking applications.

A scientific motto, often demonstrated true, is that biology drives psychology. The advent of near real-time tracking of allergen levels in modern cities has led to a possible predictive system or model from the known human serum biochemistry of histamine and serotonin interactions versus the observed year-over-year acts of violence and mass shootings from mentally unstable male individuals. This model can be useful, if not critical, for law enforcement, clinical psychologists, and public safety. Having a heightened level of risk and increased social monitoring during the times of the year in each city or region when allergen or pollen levels increase, and thus can have major drops or fluctuations, and especially during the month(s) after the pollen season as the allergens drop down to zero, can save lives. Law enforcement, emergency services (911) staff, medical staff, as well as the male mental health patients themselves, knowing these factors a priori, can take proactive and preventive actions and be in a heightened state of awareness and literally track levels on simple and public websites like https://weather.com/ and www.pollen.com. "Normal individuals" may even be able to observe,

track, or understand simple impulsive behaviors from similar, albeit manageable, increases in blood serum serotonin levels that lead to excess confidence and risk taking from the biochemistry of the associated crash in airborne allergens of pollen that, thus, lowers serum histamine levels. Those behaviors can include individuals getting anxious or angry, gambling, buying stocks, spending more, increased sexual activity or alcohol use, or even spikes in suicide (9).

There is a remarkable "pattern match" where mentally unstable individuals almost always (especially relative to those that had already been planning or staging an act of violence, terror, or gun violence) will be triggered, i.e., they "cannot resist the impulse," to act during the surge in blood (brain) serotonin levels due to a sudden and large drop in environmental allergen levels, that crashes serum histamine, causing the aforementioned spike in blood (brain) serotonin. The key scenarios for the model of this paper occur during the final drop-off point to zero pollen of annual spring tree pollen (especially juniper) and fall weed pollen (especially ragweed) and from large drops (a sharp drop in pollen level defined as a drop crossing over at least two or three horizontal levels in the pollen.com history graph e.g., from *Medium* to *Low-Medium* to *Low*) or these same drops followed by a spike of pollen (e.g., a one day long rainstorm in the middle of pollen season), where we find the perfectly matched timing of violent events - especially single shooter male gun violence or mass shootings.

Methods

A sample of fifty-five (fifteen in fall months and forty in spring months) high-profile mass shootings, each involving a single male shooter, between fall 2017 and spring 2023 was created and analyzed (Figure 1). The label high-profile being defined as being a headline story on the news channel CNN's webpage at www.cnn.com. A histogram of all fifty-five of the mass

shootings from our sample (counts per month) shows a correlation with the months of high pollen, with a larger number of months being spring months, matching the much larger number of spring pollen months versus fall pollen months (Figure 2). Another correlation is seen where mass shootings occur just *after* the peak pollen months i.e., as pollen decreases, and serum serotonin thus increases especially *after* the two largest pollen events of spring juniper tree pollen (mid-February to mid-March) and fall ragweed weed pollen (August to September) (Figure 3 and Figure 4). Note the lack of any mass shootings in our sample in the months of September (entire month has ragweed) and December and January (cold winter months with zero pollen). The near real-time www.pollen.com website is a near perfect proxy to match mass shootings to these changes in pollen and histamine levels for a given zip code of the location of a mass shooting event.

Mass shooting events that perfectly fit this model, where a dramatic drop in pollen coincides exactly with a mass shooting event, include the March 17, 2021, Acworth (Atlanta) Georgia Asian spa shooting (Figure 5), the March 22, 2021, Boulder Colorado King Store shooting (Figure 6), the October 25, 2021, Boise Idaho mall shooting, (Figure 7), the May 24, 2022, Robb Elementary School mass shooting in Uvalde Texas (Figure 8), and the August 28, 2023, University of North Carolina Chapel Hill graduate student shooting (Figure 9).

Mass shooting events that perfectly fit the model where a pollen season is over and pollen levels decline to zero include five events between November 11 and November 22 of 2022 (Figure 10).

Large public events during, and especially after, fall ragweed pollen and spring tree pollen windows for the end-of-season pollen level decline, can be monitored with increased awareness noting that airborne pollen levels will peak and decline following temperature drops

and increases i.e., as cold winter temperatures approach in the fall, pollen levels will drop especially from frost, and as hot summer temperatures approach in the spring after the tree pollen peak, usually in March. The pollen levels rise and fall each year moving from North to South in the fall and from South to North in the spring i.e., moving down and up the latitudes of the continental United States.

Discussion

One can speculate that higher levels of pollen in the United States than the rest of the world, especially in the spring, and the increase in the number of frost-free days (possibly from global warming via climate change) is a possible cause of higher gun violence in the United States. Note that the near zero level of mass shootings in Canada, thus, also fits this model as cities in Canada are too far north to have pollen seasons of any significant length and likely it is that fact, and not legislative policies, which is the cause of the difference.

There are limitations to this hypothesis. The hypothesis does not claim to explain all mass shootings. The claim is that there is a large amount of circumstantial evidence that indicates many mass shootings, especially those done by mentally ill male individuals in the United States, appear to correlate with serum serotonin spikes from pollen and thus serum histamine drops each spring and fall. Universities or laboratories with formal testing facilities might undertake human experiments where: a control group with no allergies, patients with known allergies, and mentally ill patients with and without specific allergies, are all tested with allergy shots of specific allergens (ragweed or juniper pollen as the best examples) and then observed and tested both subjectively, for impulsivity behaviors, and with blood tests to track the exact timing and degree of serum serotonin increase as the allergic response serum histamine spikes and then subsides over the 1-2 day period after the allergy shot. Crime Prevention

centers, universities, or government departments with large data sets would be advised when performing formal regression analysis exercises against this hypothesis to consider two key points, 1) to not ignore any survivorship bias or omission bias as a key observation is that so many months of the year have zero mass shootings and that must be take into account in any formal statistical analysis, and 2) that many data sets on mass shootings go beyond the scope of this hypothesis and include any gun related incident where four or more individuals were injured which can include burglaries and drug or gang related violence. The hypothesis has known limitations of lacking comparative data versus other countries. There does exist the predicted decline in mass shootings in Canada where pollen seasons are very short due to the colder climate in higher latitudes. Detailed and near real-time tools like pollen.com (tracks down to a given city zip code) were not found for European or Asian countries that also have tree and weed season pollen. The prevalence of guns (per capita count) in the United States is also a factor that must be considered when comparing against other countries.

Conclusion

The ideas and knowledge in this hypothesis can be used as a potential prediction tool - for law enforcement, mental health, and medical agencies - that uses modern technology and data sources that can track near real-time levels of pollen per a given city or zip code. Mental health professionals would be advised to lower serotonin boosting meds and antihistamines, and to even supplement sedative medications, to male patients in the months of March through June for spring tree pollen and from September through November for fall ragweed.

Figures

Figure 1.

The analyzed sample includes 55 (15 in fall and 40 in spring) high-profile single male shooter mass shootings between fall 2017 and spring 2023. High-profile being defined as being a headline story on the CNN news channel's webpage at www.cnn.com.

```
10/1/17 - Las Vegas, NV
2/14/18 - Parkland, FL
                                                10/7/21 - Arlington, TX
2/19/23 - New Orleans, LA
3/16/21 - Acworth, GA
                                                10/10/21 - St. Paul, MN
                                              10/21/21 - Superior, NE
                                       10/21/21 - Superior, No. 10/25/21 - Boise, ID
10/27/18 - Pittsburgh, PA
10/30/21 - Texarkana, TX
11/5/17 - Southerland Springs, TX
3/19/22 - Houston, TX
3/19/22 - Fayetteville, NC
3/19/22 - Norfolk, VA
3/19/22 - New Iberia, LA
3/19/22 - Dumas, ARK
3/19/22 - Madison Heights, VA 11/13/22 - Moscow, ID 3/19/22 - Dallas, TX 11/17/22 - Miami, FL
3/19/22 - Dallas, TX
                                        11/1//22 - Mlami, FL

11/19/22 - Miami, FL

11/19/22 - Colorado Springs, CO

11/13/22 - Charlottesville, VA


11/22/22 - Cheasapeake, VA

11/23/22 - Temple Hills, MD
3/19/22 - Austin, TX
3/22/21 - Boulder, CO
3/27/23 - Nashville, TN
4/10/23 - Louisville, KN
4/12/22 - Brooklyn, NY
                                              11/23/22 - Temple Hills, MD
4/15/23 - Louisville, KN
4/15/23 - Middle Falls, NY
4/15/23 - Dadeville, AL
4/29/23 - Davis, CA
5/1/23 - New York, NY
5/4/23 - Ocean Springs, MS
5/4/23 - Columbus, OH
5/6/23 - Chico, CA
5/13/22 - Milwaukee, WS
5/13/22 - Milwaukee, WS
5/13/22 - Omaha, NE
5/14/22 - Buffalo, NY
5/24/22 - Uvalde, TX
6/6/23 - Richmond, VA
6/13/23 - Denver, CO
6/18/23 - St. Louis, MO
6/18/23 - Willowbrook, IL
6/24/23 - Saginaw, MI
6/25/23 - Kansas City, MO
7/2/23 - Baltimore, MD
7/3/23 - Philadelphia, PA
7/3/23 - Indianapolis, IN
7/4/23 - Shreveport, LA
7/9/23 - Cleveland, OH
8/28/23 - Chapel Hill, NC
```

Source: www.cnn.com

Figure 2.


A histogram of all 55 mass shootings of our sample (count by month) shows a correlation where there are more mass shootings in spring months and the most pollen months are in the spring. The pollen.com app shows the annual pollen peaks of spring and fall (below top).



Source: pollen.com smartphone app "allergy plus."

Figure 3.


A correlation is also seen where mass shootings occur just after the peak pollen months i.e., as pollen decreases, and serum serotonin thus increases especially "after" the two largest pollen events of spring juniper tree pollen (mid-February to mid-March) and fall ragweed weed pollen (August to September) as noted by the red arrows. Note the lack of any mass shootings in September, December, and January.



Source: https://www.vox.com/22383707/allergies-2021-pollen-allergy-covid-19-climate-change-asthma and pollen.com smartphone app "allergy plus" retrieved Mar 3, 2023.

Figure 4.

Each of the fifteen fall mass shootings examples from our sample are shown as red dots on top of a diagram showing U.S. cities and their ragweed levels by month, from north to south. Note how every mass shooting example occurs after the peak ragweed or completely after ragweed season ends for the season. Note too how the end of ragweed season by latitude occurs diagonally as "winter frost" cold temperatures begin in the north and slowly move to southern latitudes.



Source: Figure 5 in Lo, F., Bitz, C.M., Battisti, D.S. et al. Pollen calendars and maps of allergenic pollen in North America. Aerobiologia 35, 613–633 (2019). https://doi.org/10.1007/s10453-019-09601-2

Figure 5.

A mass shooting at an Acworth (Atlanta) Georgia Asian spa on March 3, 2021, coincides exactly with a large drop in environmental pollen as seen on www.pollen.com.



Source: https://www.pollen.com/forecast/historic/pollen/30101 and https://www.cnn.com/2021/03/18/us/atlanta-spa-shootings-victims/index.html

Figure 6.


A Boulder, Colorado King Store mass shooting on March 22, 2021, occurs right after a dramatic pollen level decline.



Source: https://www.pollen.com/forecast/historic/pollen/80301 and https://www.cnn.com/2021/04/22/us/boulder-shooting-suspect-charges/index.html

Figure 7.

A mass shooting at a Boise, Idaho mall on October 25, 2021, occurs exactly as the fall ragweed pollen level declines to zero.



Source: www.pollen.com and

https://www.cnn.com/2021/10/25/us/idaho-boise-shooting/index.html


Figure 8.

The www.pollen.com website shows a dramatic multi-level drop in spring pollen level immediately before the day a teenage male gunmen killed 21 at an Uvalde Texas elementary school on May 24, 2022.

(CNN) — An 18-year-old gunman on Tuesday fatally shot 19 children and two adults at a Texas elementary school before he was killed by law enforcement officers, officials said.

The shooter -- identified by Texas officials as Salvador Ramos, of Uvalde -- also shot his grandmother before crashing a vehicle near the school, Texas Department of Public Safety Sgt. Erick Estrada said. She is in critical condition, he said.

The gunman is believed to have acted alone, Uvalde Consolidated Independent School District Police Chief Pete Arredondo said.



Source: www.pollen.com and

https://www.cnn.com/2022/05/24/us/uvalde-texas-elementary-school-shooting/index.html

Figure 9.

On Monday August 2, 2023, a male graduate student named Tailei Qi at the University of North Carolina at Chapel Hill shot and killed a faculty member and was arrested for murder. Note the large drop of pollen that occurred the days before the event that created a "serotonin spike."

University of North Carolina police respond to 'an armed and dangerous person on or near campus'


By <u>Devon M. Sayers</u>, CNN Updated 3:19 PM EDT, Mon August 28, 2023



Police work Monday at the University of North Carolina at Chapel

(CNN) — Police at the University of North Carolina at Chapel Hill are responding to an "armed and dangerous person on or near campus," according to an alert from the university on Monday.


"Remain sheltered in place. This is an ongoing situation. Suspect at large." the university said in



Source: https://edition.cnn.com/2023/08/28/us/university-of-north-carolina-shooting/index.html and www.pollen.com retrieved 30 August 2023.

Figure 10.

Between November 13 and 23 of 2022, four mass shootings and a knife attack occur in the U.S. states of Virginia, Idaho, Colorado, and Maryland at the end of the fall pollen season in the very week that pollen levels as seen on the pollen.com web site "drop to zero."



Source: www.pollen.com and

https://www.cnn.com/2022/11/14/us/university-of-virginia-shooting-suspect/index.html
https://www.cnn.com/2022/11/20/us/colorado-springs-shooting-gay-nightclub/index.html
https://www.cnn.com/2022/11/20/us/university-of-idaho-killings-sunday/index.html
https://www.cnn.com/2022/11/23/us/temple-hills-maryland-strip-mall-shooting/index.html
https://www.cnn.com/2022/11/26/us/chesapeake-virginia-walmart-shooting-saturday/index.html

References

- Çetin, F. H., Torun, Y. T., Güney, E. . The Role of Serotonin in Aggression and Impulsiveness. In: Shad, K. F., editor. Serotonin - A Chemical Messenger Between All Types of Living Cells [Internet]. London: IntechOpen; 2017 [cited 2022 Jun 24]. Available from: https://www.intechopen.com/chapters/55400 doi: 10.5772/intechopen.68918. Retrieved from: https://www.intechopen.com/books/serotonin-a-chemical-messenger-between-all-types-of-living-cells/the-role-of-serotonin-in-aggression-and-impulsiveness January 10, 2022.
- 2. Hough LB. Histamine Actions in the Central Nervous System. In: Siegel GJ, Agranoff BW, Albers RW, et al., editors. Basic Neurochemistry: Molecular, Cellular and Medical Aspects. 6th edition. Philadelphia: Lippincott-Raven; 1999. Retrieved from: https://www.ncbi.nlm.nih.gov/books/NBK28245/ January 10, 2022.
- Leonardo Munari, PhD, Gustavo Provensi, PhD, Maria Beatrice Passani, PhD, Nicoletta Galeotti, PhD, Tommaso Cassano, PhD, Fernando Benetti, PhD, Renato Corradetti, MD, Patrizio Blandina, MD, Brain Histamine Is Crucial for Selective Serotonin Reuptake Inhibitors' Behavioral and Neurochemical Effects, International Journal of Neuropsychopharmacology, Volume 18, Issue 10, September 2015, pyv045, https://doi.org/10.1093/ijnp/pyv045. Retrieved from: https://academic.oup.com/ijnp/article/18/10/pyv045/623738 January 10, 2022.
- 4. Ryo Yoshimoto, Yasuhisa Miyamoto, Ken Shimamura, Akane Ishihara, Kazuhiko Takahashi, Hidehito Kotani, Airu S. Chen, Howard Y. Chen, Douglas J. MacNeil, Akio Kanatani, Shigeru Tokita. Therapeutic potential of histamine H3 receptor agonist for the treatment of obesity and diabetes mellitus. Proceedings of the National Academy of Sciences Sep 2006, 103 (37) 13866-13871; DOI: 10.1073/pnas.0506104103. Retrieved from: https://www.pnas.org/content/103/37/13866 January 10, 2022.
- Nishizawa, S., Benkelfat, C., Young, S. N., Leyton, M., Mzengeza, S., de Montigny, C., Blier, P., & Diksic, M. (1997). Differences between males and females in rates of serotonin synthesis in human brain. Proceedings of the National Academy of Sciences of the United States of America, 94(10), 5308–5313. https://doi.org/10.1073/pnas.94.10.5308 Retrieved from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC24674/ January 10, 2022.
- 6. Allergy cells in the rodent brain may keep baseline anxiety under control. (2008). Immune to Anxiety. Science. Retrieved from https://www.science.org/content/article/immune-anxiety November 11, 2021.
- Nautiyal, K. M., Dailey, C. A., Jahn, J. L., Rodriquez, E., Son, N. H., Sweedler, J. V., & Silver, R. (2012). Serotonin of mast cell origin contributes to hippocampal function. The European journal of neuroscience, 36(3), 2347–2359. https://doi.org/10.1111/j.1460-9568.2012.08138.x Retrieved from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3721752/ November 12, 2021.

8. Theoharides, T., Bondy, P., Tsakalos, N. et al. Differential release of serotonin and histamine from mast cells. Nature 297, 229–231. (1982). https://doi.org/10.1038/297229a0 retrieved from: https://www.nature.com/articles/297229a0 November 11, 2021.

9. Wlassoff, V. (2014, June 11). Serotonin and Behavior. Biopsychosocial Health. Retrieved from: https://brainblogger.com/2014/06/11/serotonin-and-behavior/ January 10, 2022.