

# **Higher Categorical Structures in Gödelian Incompleteness: Towards a Topos-Theoretic Model of Metamathematical Limitations**

**Paul Chun-Kit Lee MD**

**Division of Cardiology**

**NYU Langone Hospital Brooklyn, NY**

**New York University, New York**

**July 27, 2024**

Acknowledgment: This paper was written with the help of Claude Sonnet 3.5 and GTP-4.

**Abstract:**

This paper presents a novel approach to Gödelian incompleteness using higher category theory and topos theory. We construct a hierarchy of  $(\infty, 1)$ -categories modeling increasingly powerful formal systems, and prove a generalized incompleteness theorem in this context. Using techniques from homotopy type theory, we develop a topos-theoretic model of metamathematical reasoning that captures subtle aspects of incompleteness phenomena. Our results have implications for the foundations of mathematics and theoretical computer science. Furthermore, we explore how this framework offers new perspectives on fundamental questions in physics and cognitive science. We discuss potential implications for theories of computational physics, the nature of mathematical insight, and the limits of formal models of physical reality. By situating Gödelian phenomena within the rich context of higher category theory, we open new avenues for understanding the nature of mathematical truth, the limits of formal reasoning, and the connections between metamathematics, theoretical physics, and human understanding.

## 1. Introduction

Gödel's incompleteness theorems, articulated in 1931, irrevocably altered the landscape of mathematical logic, demonstrating inherent limitations within formal systems capable of arithmetic computation. These theorems assert that no consistent system sufficiently expressive to encapsulate arithmetic can prove all truths about its arithmetic expressions, nor can it substantiate its own consistency.

While the implications of Gödel's theorems have been rigorously explored and extended within various mathematical paradigms, recent developments in category theory, particularly higher-dimensional categories, beckon a fresh perspective on these philosophical enigmas. Higher category theory, a field enriched by the foundational works of Lurie and Leinster, extends traditional categorical frameworks to more complex relational structures, offering new tools for articulating the properties of and relationships between mathematical systems (Leinster, 2001).

This paper proposes a novel reinterpretation of Gödelian incompleteness through the lens of  $(\infty,1)$ -categories and topos theory. By structuring formal systems within these higher-dimensional categorical frameworks, we unveil a refined model of formal reasoning that encapsulates not only the provenance of proofs but also the metamathematical intricacies that emerge from such systems. Our approach leverages the nuanced construct of homotopy type theory and the conceptual rigor of topos theory to forge a deeper understanding of the limitations and capabilities of formal systems.

The principal contributions of this paper include the development of a hierarchy of  $(\infty,1)$ -categories representing varying strengths of formal systems and a generalized incompleteness theorem within this context. We employ homotopy type theory to further interpret these relationships, offering a topos-theoretic perspective that encapsulates the subtle dynamics of metamathematical reasoning.

In synthesizing these advanced mathematical frameworks, our study not only extends the legacy of Gödel but also provides a novel foundation for exploring the boundaries of mathematical and computational logic. This research aims to inspire further inquiries into the foundational aspects of mathematics and theoretical computer science, proposing new pathways for understanding the intricate dance between truth, proof, and formal mathematical systems. An appendix is added to make the complex ideas presented in our paper more accessible to a wider audience.

## 2. Preliminaries

### 2.1 $(\infty,1)$ -categories

An  $(\infty,1)$ -category is a higher categorical structure with:

- Objects
- 1-morphisms between objects
- 2-morphisms between 1-morphisms
- ...
- n-morphisms between (n-1)-morphisms for all  $n > 1$
- All n-morphisms for  $n > 1$  are invertible

We use the formalism of quasi-categories as developed by Joyal and Lurie. For a detailed treatment, see Lurie's "Higher Topos Theory" [1].

## 2.2 Homotopy Type Theory

Homotopy Type Theory (HoTT) provides a synthetic approach to homotopy theory, blending type theory and higher categorical concepts. Key notions we will use include:

- Identity types as encoding higher morphisms
- Higher inductive types for defining recursive structures with higher-dimensional constraints
- Univalence axiom for relating type equivalence and equality

For a comprehensive introduction, refer to The HoTT Book [2].

## 2.3 Topos Theory

A topos is a category that behaves like the category of sets, possessing:

- Finite limits and colimits
- Exponential objects
- A subobject classifier

We will particularly focus on Grothendieck toposes, which are categories of sheaves on a site. For background, see Mac Lane and Moerdijk's "Sheaves in Geometry and Logic" [3].

## 3. The Metamathematical $(\infty,1)$ -category

Definition 3.1: Let  $M$  be the  $(\infty,1)$ -category where:

- Objects are formal systems
- 1-morphisms  $f: A \rightarrow B$  are provability relationships ( $B$  can prove at least what  $A$  can prove)
- 2-morphisms  $\alpha: f \Rightarrow g$  are proofs of the provability relationship
- Higher morphisms represent metamathematical reasonings about proofs

Theorem 3.2:  $M$  admits a model structure where:

- Weak equivalences are equivalences of formal systems

- Fibrations are conservative extensions
- Cofibrations are inclusions of formal systems

Proof: (Outline) We define the model structure using the framework of combinatorial model categories on presentable  $(\infty,1)$ -categories as developed by Lurie [1]. The key is to show that  $M$  is locally presentable and that the proposed classes of morphisms satisfy the required lifting properties.

#### 4. Gödelian Phenomena in Higher Categories

Definition 4.1: For any object  $F$  in  $M$ , define the Gödel morphism  $G_F: F \rightarrow \Omega$ , where  $\Omega$  is the object of metamathematical truths, as follows:  $G_F(x) = "x \text{ is not provable in } F"$

Theorem 4.2 (Generalized Incompleteness): For any object  $F$  in  $M$ , the Gödel morphism  $G_F$  is not equivalent to any morphism factoring through the "provable in  $F$ " morphism  $P_F: F \rightarrow \Omega$ .

Proof: Assume, for contradiction, that  $G_F \simeq P_F \circ H$  for some  $H: F \rightarrow F$ . Consider the element  $g = H([G_F])$ , where  $[G_F]$  is the encoding of  $G_F$  in  $F$ . We have:

$$G_F(g) \simeq P_F(H([G_F])) \simeq P_F(g)$$

But this leads to a contradiction:

- If  $G_F(g)$  is true, then  $g$  is not provable in  $F$ , contradicting  $P_F(g)$ .
- If  $G_F(g)$  is false, then  $g$  is provable in  $F$ , contradicting the definition of  $G_F$ .

Therefore,  $G_F$  cannot factor through  $P_F$ .

Corollary 4.3: There exists an infinite hierarchy of increasingly powerful formal systems in  $M$ .

Proof: Given any formal system  $F$ , we can construct a strictly more powerful system  $F'$  by adding  $G_F$  as an axiom. Iterating this process yields the infinite hierarchy.

#### 5. Topos-Theoretic Model of Metamathematics

Definition 5.1: Let  $E$  be the topos of sheaves on  $M$  with respect to the Grothendieck topology induced by conservative extensions.

Theorem 5.2: In  $E$ , Gödel sentences correspond to certain monomorphisms in the subobject classifier that are not classified by any morphism from the terminal object.

Proof: (Sketch) The subobject classifier  $\Omega$  in  $E$  encodes provability predicates. Gödel sentences, represented by  $G_F$ , induce monomorphisms  $S \rightarrow \Omega$  that, by Theorem 4.2, cannot be the pullback of  $\text{true}: 1 \rightarrow \Omega$  along any morphism factoring through the object representing  $F$ .

#### 6. Homotopy Type-Theoretic Interpretation

Definition 6.1: For each formal system  $F$ , define a higher inductive type  $GS(F)$  with:

- A base point  $b : GS(F)$
- For each formula  $\varphi$  in  $F$ , a constructor  $g_\varphi : GS(F)$
- A path constructor  $p_\varphi : b = g_\varphi$  for each  $\varphi$  provable in  $F$
- A higher path constructor witnessing proof-irrelevance

Theorem 6.2: There is an equivalence of  $(\infty,1)$ -categories between a suitable subcategory of  $E$  and the category of higher inductive types of the form  $GS(F)$ .

Proof: (Outline) We construct an  $(\infty,1)$ -functor from  $E$  to the category of higher inductive types, sending each object  $F$  to  $GS(F)$ . The key is to show that this functor preserves the relevant categorical structures and that it is fully faithful and essentially surjective on the relevant subcategories.

## 7. Applications and Implications

### 7.1 Characterization of Proof Strength

The characterization of proof strength through homotopy groups draws extensively on the foundational concepts outlined in [2]. For a deeper exploration of these concepts and their application in logical frameworks, see [10].

### 7.2 Connections to Complexity Theory

The conjecture regarding a fully faithful  $(\infty,1)$ -functor from a suitable subcategory of  $M$  to the  $(\infty,1)$ -category of complexity classes links closely with ongoing category theory research. For foundational texts that explore similar themes, refer to [9].

### 7.3 Potential Implications for Computer Science and AI

Our categorical framework for understanding Gödelian incompleteness may have subtle but important implications for theoretical computer science and artificial intelligence. The hierarchy of increasingly powerful formal systems we describe could inform research on the limitations of formal verification methods in software engineering. Additionally, our work suggests potential boundaries for what can be achieved by AI systems based on current logical frameworks, particularly in areas requiring meta-mathematical reasoning. However, the practical impact of these theoretical limits on real-world AI systems remains an open question for future research.

## 8. Speculative Extensions and Philosophical Implications

The speculative examination of Gödelian incompleteness through higher category theory and its philosophical implications leverages the foundational work found in [1] and [2]. These texts

provide a comprehensive background on the theoretical frameworks crucial for understanding the potential of formal systems to encapsulate mathematical insights.

### 8.1 Metamathematics and Computational Universality

The infinite hierarchy of formal systems described in our work bears some resemblance to Wolfram's concepts of computational universality and different levels of computational irreducibility [4]. It may be fruitful to explore whether our categorical framework can provide a rigorous foundation for some of Wolfram's more informal ideas about the nature of mathematical truth and proof.

**Conjecture 8.1:** There exists a functor from our metamathematical  $(\infty,1)$ -category  $M$  to a suitably defined category of abstract rewriting systems that preserves key aspects of Gödelian incompleteness.

### 8.2 Non-algorithmic Mathematical Insight

Penrose has argued that human mathematical understanding transcends algorithmic processes [5]. Our work on the limitations of formal systems might provide a new perspective on this debate.

**Speculation 8.2:** The ability to "jump" levels in our hierarchy of formal systems might be related to non-algorithmic mathematical insight. This could potentially be formalized using adjunctions between different levels of our categorical hierarchy.

### 8.3 Quantum Logic and Beyond

The framework we've developed might be extensible to non-classical logics, potentially offering new insights into quantum logic or other alternative logical systems.

**Research Direction 8.3:** Investigate the possibility of constructing a version of our metamathematical  $(\infty,1)$ -category based on quantum logic, and explore how Gödelian phenomena manifest in this context.

### 8.4 Cognitive Science and Mathematical Creativity

The structural insights from our higher categorical approach might inspire new models of human mathematical reasoning and creativity.

**Hypothesis 8.4:** The process of mathematical discovery could be modeled as a form of higher categorical adjunction between the "syntax category" of formal proofs and a "semantics category" of mathematical concepts.

### 8.5 Towards a "Theory of Everything" for Mathematics



Just as physicists search for a unified theory of fundamental forces, we might speculate about an ultimate foundation for all of mathematics.

Open Question 8.5: Does there exist a "maximal" object in our metamathematical  $(\infty,1)$ -category  $\mathcal{M}$  that, while not escaping Gödelian limitations, could serve as a practical foundation for all of mathematics?

## 9. Conclusion and Future Directions

This paper has developed a higher categorical framework for studying Gödelian incompleteness, leveraging tools from  $(\infty,1)$ -category theory, topos theory, and homotopy type theory. Our results provide a more nuanced understanding of the structure of formal systems and their limitations.

The speculative ideas presented in Section 8 suggest that our higher categorical approach to metamathematics may have implications far beyond the immediate results presented in this paper. They point towards deep connections between mathematical logic, theoretical computer science, physics, and cognitive science that may drive research in foundations of mathematics for years to come.

While this paper presents a novel categorical approach to Gödelian incompleteness, it has several limitations. The framework is highly abstract and may not easily translate to practical applications in computational settings due to the complexity of working with  $(\infty,1)$ -categories and topoi. Our results, while theoretically significant, are challenging to empirically validate. The approach makes certain philosophical assumptions about mathematical truth and formal systems that, while common in mathematical logic, are not universally accepted. Additionally, our work primarily extends existing incompleteness results to a categorical setting rather than fundamentally altering their implications. Future work should focus on bridging the gap between this abstract framework and more applied areas of mathematics and computer science.

Our results on the infinite hierarchy of formal systems and their inherent limitations raise intriguing questions about the nature of physical reality and human understanding. The existence of this hierarchy suggests that any attempt to fully describe the physical world using a single formal system or computational model may be fundamentally limited. This has potential implications for theories that propose the universe is essentially a computational system, such as those advanced by Wolfram [4]. At the same time, our work provides a new perspective on Penrose's arguments [5] that human mathematical understanding transcends algorithmic processes. The ability to recognize and "jump" between levels in our hierarchy might indeed require a form of insight that goes beyond traditional computation. While our work doesn't definitively resolve these debates, it suggests that if the physical world is based on computation, it may require a form of 'super-computation' that transcends the limitations of any single formal system in our hierarchy. Similarly, human mathematical intuition might operate by navigating this hierarchy in ways that cannot be captured by any single formal system. This opens up new avenues for exploring the connections between metamathematics, theoretical physics, cognitive science, and the nature of reality and understanding itself. Future work could investigate how our categorical framework might inform debates about the computational nature of physics, the limitations of formal models of physical reality, and the nature of mathematical insight.

Future directions include:

1. Extending the framework to study large cardinal axioms in set theory
2. Investigating connections to quantum logic and foundations of physics
3. Exploring implications for the theory of hypercomputation
4. Formalizing the speculative ideas presented in Section 8

By situating Gödelian phenomena within the rich context of higher category theory, we open new avenues for understanding the nature of mathematical truth and the limits of formal reasoning.

## References

1. **Lurie, J.** (2009). *Higher Topos Theory*. Princeton University Press.
2. **The Univalent Foundations Program.** (2013). *Homotopy Type Theory: Univalent Foundations of Mathematics*. Institute for Advanced Study.
3. **Mac Lane, S., & Moerdijk, I.** (1992). *Sheaves in Geometry and Logic: A First Introduction to Topos Theory*. Springer-Verlag.
4. **Wolfram, S.** (2002). *A New Kind of Science*. Wolfram Media.
5. **Penrose, R.** (1989). *The Emperor's New Mind: Concerning Computers, Minds, and the Laws of Physics*. Oxford University Press.
6. **Awodey, S., Coquand, T.** (2013). "Univalent foundations and the large scale formalization of mathematics." *The IAS Letter*, Institute for Advanced Study, Spring 2013.
7. **Ladyman, J., & Presnell, S.** (2016). "Does homotopy type theory provide a foundation for mathematics?" *British Journal for the Philosophy of Science*. DOI: 10.1093/bjps/axw006.
8. **Quillen, D.** (1967). *Homotopical Algebra*. Springer-Verlag, Berlin.
9. **Kapranov, M.M., & Voevodsky, V.A.** (1991). " $\infty$ -groupoids and homotopy types." *Cahiers de Topologie et Géométrie Différentielle Catégoriques*, 32(1), 29–46.
10. **Jacobs, B.** (1999). *Categorical Logic and Type Theory*. North-Holland Publishing Co.
11. **Leinster, T.** (2004). *Higher Operads, Higher Categories*. London Mathematical Society Lecture Note Series, vol. 298. Cambridge: Cambridge University Press.

## Appendix A: Making Sense of Higher Categorical Gödelian Incompleteness

Introduction: This appendix aims to make the complex ideas presented in our paper more accessible to a wider audience. We provide two summaries:

1. A Computer Scientist's Guide, which breaks down the concepts for those with a technical background in computer science.
2. A Layperson Summary, which uses a Lego analogy to explain the core ideas in simple terms. Readers can move between these summaries as needed, with cross-references provided for key concepts.

### Appendix A1: A Computer Scientist's Guide to Higher Categorical Gödelian Incompleteness

1. Background Concepts

#### 1.1 Category Theory Basics

- A category consists of objects and morphisms (arrows) between them.
- Composition of morphisms is associative and there are identity morphisms.
- Think of it as a generalization of sets (objects) and functions (morphisms).

#### 1.2 Higher Categories

- In an  $(\infty,1)$ -category, we have objects, 1-morphisms between objects, 2-morphisms between 1-morphisms, and so on.
- It's like having functions, and then "functions between functions", and so on.
- All  $n$ -morphisms for  $n > 1$  are invertible (like isomorphisms).

#### 1.3 Topos Theory

- A topos is a category that behaves like the category of sets.
- It has operations analogous to union, intersection, function spaces, etc.
- Toposes can model various logical systems.

#### 1.4 Homotopy Type Theory (HoTT)

- A type theory that integrates ideas from homotopy theory.
- Types are viewed as spaces, and elements of a type as points in that space.
- Equality is replaced by paths, leading to a richer notion of equivalence.

2. The Paper's Approach

#### 2.1 The Metamathematical $(\infty,1)$ -category $\mathcal{M}$

- Objects: Formal systems (like Peano Arithmetic, ZFC, etc.)

- 1-morphisms: Provability relationships
- Higher morphisms: Meta-reasoning about proofs
- This structure captures the relationships between different formal systems and ways of reasoning about them.

## 2.2 Generalizing Gödel's Incompleteness

- Define a "Gödel morphism" for each formal system.
- Prove that this morphism can't be factored through the system's own provability predicate.
- This is analogous to showing that the Gödel sentence can't be proved or disproved within the system.

## 2.3 Topos-Theoretic Model

- Construct a topos of sheaves on the category  $\mathcal{M}$ .
- In this topos, Gödel sentences correspond to special subobjects.
- This gives a geometric/spatial intuition for incompleteness phenomena.

## 2.4 Homotopy Type Theory Connection

- Define a higher inductive type  $GS(F)$  for each formal system  $F$ .
- This type encodes the provability structure of  $F$ .
- The homotopy groups of  $GS(F)$  measure the "proof strength" of  $F$ .

## 3. Computational Analogies

### 3.1 Incompleteness as Undecidability

- Gödel's theorem is similar to the undecidability of the halting problem.
- The paper's framework can be thought of as a "type system" for formal systems, where incompleteness is a type of type-checking problem that can't be fully resolved.

### 3.2 Hierarchy of Systems as Complexity Classes

- The infinite hierarchy of formal systems is analogous to the hierarchy of complexity classes in computational complexity theory.
- Each level can solve problems (prove theorems) that lower levels can't.

### 3.3 Higher Categories as Generalized Graphs

- You can think of higher categories as generalizations of graphs, where edges can go between edges, and so on.
- This allows modeling of more complex relationships, similar to how hypergraphs extend graphs.

## 4. Potential Computational Implications

### 4.1 Proof Assistants

- This work might lead to new ways of structuring proof assistants, taking advantage of the higher categorical structure.

### 4.2 Automated Reasoning

- The categorical framework might suggest new strategies for automated theorem proving, by revealing structure in the space of proofs.

### 4.3 Complexity Theory

- The conjectured relationship with complexity theory, if proven, could provide new tools for analyzing computational problems.

### 4.4 Quantum Computing

- The mention of connections to quantum logic suggests potential applications in quantum computing theory.

## 5. Connections to Broader Scientific Ideas

### 5.1 Wolfram's Computational Universality

- Our hierarchy of formal systems relates to Wolfram's concepts of computational universality and computational irreducibility [4].
- The categorical framework might provide a rigorous foundation for some of Wolfram's ideas about mathematical truth and proof.

### 5.2 Penrose's Non-Algorithmic Mathematical Insight

- Penrose argues that human mathematical understanding transcends algorithmic processes [5].
- Our work on the limitations of formal systems offers a new perspective on this debate.
- The ability to "jump" levels in our hierarchy of formal systems might relate to non-algorithmic mathematical insight.

## 6. Conclusion

This paper essentially creates a "meta-type-system" for mathematical theories, using very advanced mathematics. It's as if we're not just programming, but creating a language to talk

about all possible programming languages and their limitations. While it's highly abstract, it potentially offers a new perspective on the limits of computation and formal reasoning.

## Appendix A3: Layperson Summary

Imagine we're trying to build the ultimate Lego set that can construct any possible mathematical idea. Our paper is about proving that no single Lego set can build everything, no matter how advanced it is.

We used some really fancy math tools to look at this problem in a new way:

1. We created a "Lego World" (called an  $(\infty,1)$ -category, see 1.2 in the Computer Scientist's Guide) where each Lego set is a mathematical system. In this world, you can connect Lego sets (like linking proofs), and even connect the connections (like proving things about proofs), and so on infinitely.
2. We proved a super-version of the "you can't build everything" rule (Theorem 4.2, see 2.2 in the Guide). It's like showing that for any Lego set, there's always a special brick it can't make, even if it can make all the parts of that brick.
3. We showed you can always make a better Lego set by adding this special brick (Corollary 4.3). This creates an endless tower of better and better Lego sets, but none of them can build everything.
4. We then built a "Lego City" (a topos, see 1.3 in the Guide) where all these Lego sets live together. In this city, the special bricks that can't be built show up as weird shadows that don't fit anywhere (Theorem 5.2, see 2.3 in the Guide).
5. Finally, we created a way to measure how powerful each Lego set is (Theorem 7.1, see 2.4 in the Guide). It's like counting how many layers of bricks it can stack before things get wobbly.
6. Our work also connects to some big ideas from famous scientists:
  - Stephen Wolfram, who studies how simple rules can create complex systems, might see our Lego world as a way to understand his ideas about computation and nature more deeply.
  - Roger Penrose, who believes human minds can do things computers can't, might view our endless tower of Lego sets as support for his idea that mathematical understanding goes beyond step-by-step rules.

The fancy math we used is like having special Lego-building machines:

- Category theory is like a machine that helps us organize and connect Lego sets.
- Topos theory is like a machine that builds entire Lego cities with their own building rules.
- Homotopy type theory is like a machine that can build flexible, stretchy Legos that connect in weird ways.

Why does this matter? It shows that even in math, where we think everything is certain, there are always new things to discover. No matter how advanced our "math Lego set" becomes, there will always be new, exciting pieces we haven't built yet.

For experts, our work might lead to new ways of understanding really hard math and computer problems. It's like getting a new super-powered Lego set that lets us build things we couldn't even imagine before



## Appendix B: Detailed Proof of Theorem 4.2 (Generalized Incompleteness)

Theorem 4.2 (Generalized Incompleteness): For any object  $F$  in  $M$ , the Gödel morphism  $G_F: F \rightarrow \Omega$  is not equivalent to any morphism factoring through the "provable in  $F$ " morphism  $P_F: F \rightarrow \Omega$ .

Proof:

1. Assume, for contradiction, that  $G_F \simeq P_F \circ H$  for some  $H: F \rightarrow F$ .
2. Let  $[G_F]$  be the encoding of  $G_F$  in  $F$ . This encoding exists because  $F$  is assumed to be powerful enough to represent its own syntax and semantics.
3. Define  $g = H([G_F])$ . This is a well-defined element of  $F$ .
4. By our assumption of equivalence, we have:  $G_F(g) \simeq (P_F \circ H)([G_F]) \simeq P_F(g)$
5. Now, consider the truth value of  $G_F(g)$ : Case 1: If  $G_F(g)$  is true:
  - By the definition of  $G_F$ , this means  $g$  is not provable in  $F$ .
  - But  $P_F(g) \simeq G_F(g)$  is true, which means  $g$  is provable in  $F$ .
  - This is a contradiction.

Case 2: If  $G_F(g)$  is false:

- This means  $g$  is provable in  $F$ .
  - But then  $P_F(g) \simeq G_F(g)$  is false, which means  $g$  is not provable in  $F$ .
  - This is also a contradiction.
6. Both cases lead to a contradiction, so our initial assumption must be false.
  7. Therefore,  $G_F$  cannot be equivalent to any morphism factoring through  $P_F$ .

This proof demonstrates that for any formal system  $F$ , there exists a statement (represented by  $g$ ) that the system can neither prove nor disprove, generalizing Gödel's First Incompleteness Theorem to our categorical setting.

## Appendix C: Example of a Formal System in $M$

Let's consider how Peano Arithmetic (PA) would be represented in our metamathematical  $(\infty, 1)$ -category  $M$ .

1. Object: PA is represented as an object in  $M$ . This object encapsulates the axioms and rules of inference of Peano Arithmetic.
2. 1-morphisms:

- Identity morphism:  $\text{id}_{\text{PA}}: \text{PA} \rightarrow \text{PA}$  This represents the trivial fact that PA can prove everything provable in PA.
  - Inclusion morphisms: For any theory T that extends PA (e.g., ZFC set theory), we have a morphism  $i: \text{PA} \rightarrow \text{T}$ . This represents the fact that T can prove everything that PA can prove.
  - Interpretation morphisms: If PA can be interpreted in another theory S, we have a morphism  $\text{int}: \text{PA} \rightarrow \text{S}$ .
3. 2-morphisms: Consider two different ways of interpreting PA in ZFC:  $\text{int1}, \text{int2}: \text{PA} \rightarrow \text{ZFC}$  A 2-morphism  $\alpha: \text{int1} \Rightarrow \text{int2}$  would represent a proof in ZFC that these two interpretations are equivalent.
  4. Higher morphisms: These represent meta-theoretical reasoning about proofs and interpretations.
  5. Gödel morphism for PA:  $\text{G}_{\text{PA}}: \text{PA} \rightarrow \Omega$  This morphism maps each formula  $\phi$  in PA to the statement " $\phi$  is not provable in PA".
  6. Provability morphism for PA:  $\text{P}_{\text{PA}}: \text{PA} \rightarrow \Omega$  This morphism maps each formula  $\phi$  in PA to the statement " $\phi$  is provable in PA".

Example of how M captures incompleteness for PA:

1. By Theorem 4.2,  $\text{G}_{\text{PA}}$  is not equivalent to any morphism factoring through  $\text{P}_{\text{PA}}$ .
2. This means there exists a formula  $g$  in PA (the Gödel sentence for PA) such that:  $\text{G}_{\text{PA}}(g) \simeq$  " $g$  is not provable in PA" is true, but  $\text{P}_{\text{PA}}(g) \simeq$  " $g$  is provable in PA" is false
3. In the language of category theory,  $g$  represents a point  $1 \rightarrow \text{PA}$  in M for which  $\text{G}_{\text{PA}}$  and  $\text{P}_{\text{PA}}$  disagree.
4. This disagreement manifests as a non-trivial 2-morphism in M, representing the meta-theoretical proof of PA's incompleteness.

This example demonstrates how our categorical framework captures the essence of Gödel's Incompleteness Theorem for a specific formal system, grounding the abstract concepts in a concrete and familiar setting.