

Supernova type 1a at $z=2.9$ image is dramatically changed by light scattering – the third direct confirmation of tired light theory.

Dmitriy S. Tipikin

Tipikin2001@yahoo.com

Abstract.


James Webb Space Telescope continues to make discoveries and some of them seemingly contradict to all known astrophysics data. For example the supernova type 1a (standard candle, well researched object) was recently recorded [1] but the overall image size of that supernova at a distance of $z=2.9$ corresponds to around 5000 light years at this distance and angular size is around 10 times resolution of the telescope and by far larger than any physics possibly allows. This size is a size of small galaxy and by no means may be allowed for supernova (especially standard candle, which is well researched and all sizes are predicted long ago). The only reason for such a blurred big image is the scattering of light itself – the further the object observed the larger that scattering [2] and the evaluation of the size of the image (angle of scattering) using formulas from [2] seems to confirm once more the tired light theory.

Introduction.

Tired light idea for long time was the main competitor of the Big Bang Theory and recent discoveries of the too large too big too early galaxies at $z=13$ created a strong interest in this concept. Tired light hypothesis was initially rejected because of two main reasons: the dispersion of the energy (exactly like Doppler effect) can not be reproduced by any known in quantum mechanics process (either no dependence on energy or energy in power 2 or energy in power 4 are possible) and the light scattering should be too strong for one-time interaction of photon which leads to z larger than tiny number like 0.001 – all images should be completely blurred. While the first problem seems no possible easy solution (new physics is necessary) the second problem may be overcome quite easily – if photons are scattered in extremely small steps (billion and trillions of them are necessary for say $z=1$ and higher) the scattering of light and blurring of images will be almost completely absent at small $z < 0.1$ but eventually present at $z > 5-12$. Time dilation is also not a problem to explain through this mechanism – some photons will wander in diffusion-like manner well away from the direct line of sight but then return back, thus adding distance to the overall trip and arriving days later (see [2]). In [3] the well known phenomenon of dimming supernova type 1a (standard candles) was addressed from the point of view of light scattering and in this publication the supernova 1a direct taken image is explained from the point of view of tired light hypothesis.

Main part.

The observation of the supernova by JWST is especially important since it is the first known supernova at relatively high $z=2.9$. The picture below is taken from [1]



The diffraction limit of the James Webb Space Telescope may be evaluated using the famous formula: λ/D , where λ is the wavelength (1 μm for the estimate) and D is the diameter of the mirror (6.5 m), so angular resolution is $\sim 1.5 \cdot 10^{-7}$ rad. The visible diameter of the supernova type 1a is around 0.3 arcsecond, which would correspond to $1.45 \cdot 10^{-6}$ rad, that is around 10 times higher than the diffraction limit. This is way too much for the supernova at $z=2.9$ – by no means may be resolved at such an enormous distance. Quite the opposite – in the case of the complete absence of light scattering the further the supernova, the more it would be looking like a diffraction limited dot on the image. If James Webb Space Telescope may give some hope to resolve the closest supernovas (for $z \sim 0$) at such a distance $z=2.9$ this is not possible. But if the tired light hypothesis is taken into the consideration and formulas from [2] are used, the situation looks different.

According to [2], change of the pulse and energy of the quantum is decreased according to the relation:

$$\Delta p/p_0 = \sqrt{\alpha} \sqrt{[1 - (1 - \alpha)^{2N}] / (2 - \alpha)} \quad E_N/E_0 = (1 - \alpha)^N$$

Here p_0 and E_0 are initial pulse and energy of the photon ($E_0 = p_0 \cdot c$, c is speed of light), N is the number of scattering (and energy change at each event is directly proportional to the energy with coefficient α), Δp – is the change of pulse and E_N is the energy of photon after N events.

Since the pulse may be changed in any direction the first relation describes the approximate angle of the scattering. Using the famous relation between E_N/E_0 and z : $E_N/E_0 = 1/(z+1)$ we have:

$$\Delta p/p_0 = \sqrt{\alpha} \sqrt{[1 - (1 - \alpha)^{2N}] / (2 - \alpha)} = \sqrt{\alpha} \sqrt{[1 - (E_N/E_0)^2] / (2 - \alpha)} = \sqrt{\alpha/2} \sqrt{1 - (E_N/E_0)^2}$$

(since α is way smaller compare to 2)

Taking $\alpha = 2 \cdot 10^{-12}$ from [2] for $z=2.9$ we have:

$$\Delta p/p_0 = \sqrt{0.5 \cdot 2 \cdot 10^{-12}} \cdot \sqrt{1 - (1/3.9)^2} = 0.9667 \cdot 1 \cdot 10^{-6} \sim 10^{-6}$$

This value is quite close to the measured directly angular size of the supernova of $1.45 \cdot 10^{-6}$ and indeed much larger than the resolution of the James Webb Space Telescope – it means that despite the supernova itself can not be resolved, the light scattering (a new property of light, very weak scattering) is visible directly and more or less coincides with the formulas described previously and obtained from the blurring of the images of the far galaxies at $z=12-13$. Seems that tired light hypothesis got one more direct confirmation – the light scattering is visible directly, as it should be for the case.

Conclusion.

In addition to the cases outlined in [2,3] the closer and very bright object like supernova type 1a (well investigated standard candle, all the properties are well known) offers one more confirmation for the tired light hypothesis – the scattering of light is observed directly, the observed spread is 10 times the diffraction limit of telescope and the experiment is more and more easy to interpret.

References.

- 1.J.D.R.Pierel at all “Discovery of An Apparent Red, High-Velocity Type Ia Supernova at $z = 2.9$ with JWST” // [2406.05089 \(arxiv.org\)](#)
- 2.D.S.Tipikin “Tired light hypothesis possibly got confirmation by direct observation of light scattering.” // [2311.0060v1.pdf \(vixra.org\)](#)
- 3.D.S.Tipikin [Tired Light Hypothesis Got Second Direct Confirmation from Supernova Light Curve, viXra.org e-Print archive, viXra:2405.0154](#)
[2405.0154v1.pdf \(vixra.org\)](#)